

(M = Mono-plates)

**Monoplates 100mm X 15mm****A**

<b>AEROMONAS</b> , pkg of 10 <i>Selective isolation of <u>Aeromonas</u> sp.</i>	1051
<b>AT-80</b> , pkg of 10 <i>Selective isolation of <u>Aeromonas</u> sp.</i>	1034
<b>AZIDE</b> , pkg of 10 <i>Selective isolation of Gram positive organisms</i>	1068
<b>AZIDE 5% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of Gram positive organisms</i>	1905

**B**

<b>BACILLUS CEREUS</b> , pkg of 10 <i>Selective isolation of <u>Bacillus cereus</u></i>	1426
<b>BAIRD PARKER</b> , pkg of 10 <i>Selective isolation and enumeration of <u>Staphylococcus aureus</u> from foods and other materials</i>	1447
<b>BAIRD PARKER SULFAMETHAZINE</b> , pkg of 10 <i>Selective isolation and enumeration of <u>Staphylococcus aureus</u> from foods and other materials</i>	1016
<b>B.B.E. (BACTEROIDES BILE ESCULIN)</b> , pkg of 10 <i>Selective isolation of <u>Bacteroides fragilis</u></i>	1557
<b>BCP (BROMOCRESOL PURPLE)</b> , pkg of 10 <i>Differentiation of <u>Staphylococcus</u> sp.</i>	
<b>ARABINOSE</b>	1828
<b>FRUCTOSE</b>	1824
<b>GALACTOSE</b>	1825
<b>LACTOSE</b>	1831
<b>MALTOSE</b>	1830
<b>MANNITOL</b>	1836
<b>MANNOSE</b>	1826
<b>MELEZITOSE</b>	1835
<b>RIBOSE</b>	1829
<b>SUCROSE</b>	1832
<b>TREHALOSE</b>	1833
<b>TURANOSE</b>	1834
<b>XYLITOL</b>	1837
<b>XYLOSE</b>	1827
<b>BCP CASEIN GLUCOSE</b> , pkg of 10 <i>Isolation of yeasts and molds</i>	1352
<b>B.C.Y.E. (α-BUFFERED CHARCOAL YEAST EXTRACT)</b> , pkg of 10 <i>Cultivation of <u>Legionella</u> sp.</i>	1251

(M = Mono-plates)

<b>BHIA (BRAIN HEART INFUSION AGAR)</b> , pkg of 10 <i>General purpose culture media and control plate for BHIA Vancomycin medium</i>	1677
<b>BHIA (BRAIN HEART INFUSION AGAR)</b> , 27 ml, pkg of 10 <i>General purpose culture medium, bacterial and mycology purpose</i>	1177
<b>BHIA ANAEROBES WITH SELECTIVE AGENTS</b> , pkg of 10 <i>Selective isolation of anaerobes</i>	1010
<b>BHIA CHLORAMPHENICOL</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1918
<b>BHIA CHLORAMPHENICOL CYCLOHEXIMIDE</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1057
<b>BHIA CHLORAMPHENICOL CYCLOHEXIMIDE GENTAMYCIN</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1035
<b>BHIA CHLORAMPHENICOL CYCLOHEXIMIDE GENTAMYCIN</b> , 27ml, pkg of 10 <i>Selective isolation of yeasts and molds</i>	1083
<b>BHIA CHLORAMPHENICOL CYCLOHEXIMIDE 10% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1326
<b>BHIA CHLORAMPHENICOL CYCLOHEXIMIDE GENTAMYCIN 10% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1031
<b>BHIA CHLORAMPHENICOL GENTAMYCIN 10% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1032
<b>BHIA CYCLOHEXIMIDE GENTAMYCIN 0,1 g/L 10% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1684
<b>BHIA GENTAMYCIN 10% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1944
<b>BHIA GENTAMYCIN 0,1g/L 10% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1484
<b>BHIA 5% SHEEP BLOOD</b> , pkg of 10 <i>General purpose culture medium</i>	1627
<b>BHIA 5% SHEEP BLOOD</b> , 27ml, pkg of 10 <i>General purpose culture medium for yeasts and molds</i>	1196
<b>BHIA VANCOMYCIN V.R.E.</b> , pkg of 10 <i>Selective isolation of <u>Vancomycin Resistant Enterococci</u></i>	1950
<b>BHIA 2mg VANCOMYCIN</b> , pkg of 10 <i>Selective isolation of <u>Vancomycin Resistant Staphylococcus aureus</u></i>	1215
<b>BHIA 4mg VANCOMYCIN</b> , pkg of 10 <i>Selective isolation of <u>Vancomycin Resistant Staphylococcus aureus</u></i>	1221
<b>BHIA 8mg VANCOMYCIN</b> , pkg of 10 <i>Selective isolation of <u>Vancomycin Resistant Staphylococcus aureus</u></i>	1217

(M = Mono-plates)

<b>BHIA XV ENRICHED</b> , pkg of 10 <i>Isolation of <u>Haemophilus influenzae</u></i>	1491
<b>BHIA 6.5% NaCl</b> , pkg of 10 <i>Differentiation of <u>Group D Enterococci</u></i>	1584
<b>BIGGY (NICKERSON)</b> , pkg of 10 <i>Isolation and presumptive identification of <u>Candida</u> sp.</i>	1398
<b>BILE ESCULIN</b> , pkg of 10 <i>Selective isolation of <u>Group D Enterococci</u></i>	1638
<b>BILE ESCULIN AZIDE</b> , pkg of 10 <i>Selective isolation of <u>Group D Enterococci</u> and control plate for Bile Esculin Azide Vancomycin</i>	1312
<b>BILE ESCULIN AZIDE 6mg VANCOMYCIN</b> , pkg of 10 <i>Selective screening for <u>Vancomycin Resistant Enterococci</u></i>	1880
<b>BILE ESCULIN KANAMYCIN</b> , pkg of 10 <i>Selective isolation of <u>Group D Enterococci</u></i>	1055
<b>BISMUTH SULFITE</b> , pkg of 10 <i>Selective isolation of <u>Salmonella</u> sp. and enteropathogenics microorganisms</i>	1351
<b>BLOOD AGAR 5% SHEEP BLOOD</b> , pkg of 10 <i>General purpose culture media</i>	1601
<b>BLOOD AGAR NO.2</b> , pkg of 10 <i>Enriched medium for general purpose</i>	1436
<b>B.M.P.A. (CEFAMANDOLE-POLYMYXIN B-ANISOMYCIN)</b> , pkg of 10 <i>Selective isolation of <u>Legionella</u> sp.</i>	1665
<b>BORDET GENGOU</b> , pkg of 10 <i>Cultivation of <u>Bordetella pertussis</u></i>	1810
<b>BORDET GENGOU CEPHALEXIN</b> , pkg of 10 <i>Selective isolation of <u>Bordetella pertussis</u></i>	1679
<b>BORDET GENGOU METHICILLIN</b> , pkg of 10 <i>Selective isolation of <u>Bordetella pertussis</u></i>	1910
<b>BRILLIANT GREEN</b> , pkg of 10 <i>Selective isolation of <u>Salmonella</u> sp. except <u>Salmonella typhi</u></i>	1871
<b>BRILLIANT GREEN SULFADIAZINE</b> , pkg of 10 <i>Selective isolation of <u>Salmonella</u> in foods, especially eggs</i>	1049
<b>BRUCELLA ANAEROBE 5% SHEEP BLOOD</b> , pkg of 10 <i>Cultivation of anaerobes</i>	1384
<b>BRUCELLA ANAEROBE GENTAMYCIN 5% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of anaerobes</i>	1650
<b>BRUCELLA ANAEROBE GENTAMYCIN VANCOMYCIN</b> , pkg of 10 <i>Selective isolation of anaerobes</i>	1431

(M = Mono-plates)

<b>BRUCELLA KANAMYCIN VANCOMYCIN 5% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of anaerobes</i>	1236
<b>BRUCELLA NEOMYCIN 5% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of anaerobes</i>	1385
<b>BRUCELLA 5% SHEEP BLOOD</b> , pkg of 10 <i>General purpose culture medium</i>	1310
<b>C</b>	
<b>CAMPYLOBACTER BLASER</b> , pkg of 10 <i>Selective isolation of <u>Campylobacter</u> sp.</i>	1515
<b>CAMPYLOBACTER CSM</b> , pkg of 10 <i>Selective isolation of <u>Campylobacter</u> sp.</i>	1108
<b>CAMPYLOBACTER CVA</b> , pkg of 10 <i>Selective isolation of <u>Campylobacter</u> sp.</i>	1184
<b>CAMPYLOBACTER PRESTON WITH CHARCOAL</b> , pkg of 10 <i>Selective isolation of <u>Campylobacter</u> sp.</i>	1044
<b>CAMPYLOBACTER MODIFIED WITHOUT BLOOD</b> , pkg of 10 <i>Selective isolation of <u>Campylobacter</u> sp.</i>	1706
<b>CAMPYLOBACTER WITHOUT BLOOD WITHOUT ANTIBIOTICS</b> , pkg of 10 <i>Isolation of <u>Campylobacter</u> sp.</i>	1716
<b>CAMPYLOBACTER SKIRROW, MODIFIED</b> , pkg of 10 <i>Selective isolation of <u>Campylobacter</u> sp.</i>	1727
<b>CAMPYLOBACTER SKIRROW, SEMI-SELECTIVE</b> , pkg of 10 <i>Semi-selective isolation of <u>Campylobacter</u> sp.</i>	1069
<b>CCFA (CYCLOSERINE CEFOXITIN FRUCTOSE)</b> , pkg of 10 <i>Selective isolation of <u>Clostridium difficile</u> (without blood)</i>	1150
<b>CCFA (CYCLOSERINE CEFOXITIN FRUCTOSE) WITH SODIUM TAUROCHOLATE</b> , pkg of 10 <i>Selective isolation of <u>Clostridium difficile</u> (without blood)</i>	1850
<b>C.D.C. (CENTERS FOR DISEASE CONTROL) 5% SHEEP BLOOD</b> , pkg of 10 <i>Cultivation of anaerobes</i>	1956
<b>C.D.C. ANAEROBE P.E.A.(PHENYL-ETHYL-ALCOHOL) 5% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of anaerobes</i>	1934
<b>C.D.C. GENTAMYCIN ANAEROBE</b> , pkg of 10 <i>Selective isolation of anaerobes</i>	1411
<b>CETRIMIDE</b> , pkg of 10 <i>Selective isolation of <u>Pseudomonas</u> sp.</i>	1229
<b>C.F.A.T. (CADMIUM FLUORIDE ACRIFLAVIN TELLURITE)</b> , pkg of 10 <i>Selective isolation and enumeration of <u>Actinomyces viscosus</u> and <u>Actinomyces naeslundii</u></i>	1052

(M = Mono-plates)

<b>CHAPMAN STONE</b> , pkg of 10 <i>Isolation of <u>Staphylococcus</u> sp.</i>	1438
<b>CHOCOLATE</b> , pkg of 10 <i>Cultivation of fastidious organisms</i>	1299
<b>CHOCOLATE BACITRACINE (300 ug/ml) H.S.A.</b> , pkg of 10 <i>Selective isolation of <u>Haemophilus</u> sp.</i>	1984
<b>CHOCOLATE PYRIDOXAL</b> , pkg of 10 <i>Enriched medium for pyridoxal dependent fastidious organisms</i>	1399
<b>C.I.N. (CEFSULODIN IRGASAN NOVOBIOCIN)</b> , pkg of 10 <i>Selective isolation of <u>Yersinia enterocolitica</u></i>	1812
<b>CITRATE (SIMMONS)</b> , pkg of 10 <i>Differentiation of <u>Enterobacteriaceae</u></i>	1155
<b>C.L.E.D. BEVIS</b> , pkg of 10 <i>Cultivation of urinary pathogenic organisms</i>	1514
<b>C.L.E.D. (CYSTINE LACTOSE ELECTROLYTE DEFICIENT)</b> , pkg of 10 <i>Cultivation of urinary pathogenic organisms</i>	1516
<b>COBA (COLISTIN OXOLINIC ACID AGAR) 5% HORSE BLOOD</b> , pkg of 10 <i>Selective isolation of <u>Streptococcus</u> sp.</i>	1451
<b>COLUMBIA</b> , pkg of 10 <i>General purpose culture medium</i>	1711
<b>COLUMBIA ANAEROBE 5% SHEEP BLOOD</b> , pkg of 10 <i>Cultivation of anaerobes</i>	1121
<b>COLUMBIA ANAEROBE GENTAMYCIN 7,5% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of anaerobes</i>	1923
<b>COLUMBIA CNA (COLISTIN-NALIDIXIC ACID) 5% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of Gram positive organisms</i>	1470
<b>COLUMBIA CNA 5% SHEEP BLOOD, SEMI-SELECTIVE</b> , pkg of 10 <i>Semi-selective isolation of Gram positive organisms</i>	1019
<b>COLUMBIA CNA ANAEROBE 5% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of anaerobes organisms</i>	1271
<b>COLUMBIA DOUBLE LAYER</b> , pkg of 10 <i>General purpose culture medium</i>	1891
<b>COLUMBIA ENRICHED 7,5% SHEEP BLOOD</b> , pkg of 10 <i>Isolation of fastidious organisms</i>	1278
<b>COLUMBIA GENTAMYCIN 7,5 % SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of <u>Clostridium perfringens</u></i>	1314
<b>COLUMBIA KANAMYCIN 7,5% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of anaerobes</i>	1474

(M = Mono-plates)

<b>COLUMBIA 5% HORSE BLOOD</b> , pkg of 10 <i>General purpose culture medium</i>	1096
<b>COLUMBIA 5% SHEEP BLOOD</b> , pkg of 10 <i>General purpose culture medium</i>	1440
<b>COLUMBIA 7,5% SHEEP BLOOD</b> , pkg of 10 <i>General purpose culture medium</i>	1133
<b>COOKE ROSE BENGAL</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1641
<b>CORN MEAL</b> , pkg of 10 <i>Chlamyospore formation</i>	1065
<b>CORN MEAL CAFFEIC ACID</b> , pkg of 10 <i>Chlamyospores formation</i>	1246
<b>CORN MEAL TRYPAN BLUE</b> , pkg of 10 <i>Chlamyospores formation</i>	1347
<b>CORN MEAL TWEEN 80</b> , pkg of 10 <i>Chlamyospores formation</i>	1838
<b>CYCLOSERINE CEFOXITIN</b> , pkg of 10 <i>Selective isolation of <u>Clostridium difficile</u></i>	1587
<b>CZAPEK</b> , pkg of 10 <i>Cultivation and maintenance of microorganisms using inorganic nitrogen</i>	1367
 <b>D</b>	
<b>DESOXYCHOLATE CITRATE</b> , pkg of 10 <i>Selective isolation of Gram negative enteric bacilli</i>	1695
<b>DNase</b> , pkg of 10 <i>Detection of deoxyribonuclease activity</i>	1282
<b>DNase METHYL GREEN</b> , pkg of 10 <i>Detection of deoxyribonuclease activity with indicator</i>	1876
<b>DNase TOLUIDINE BLUE</b> , pkg of 10 <i>Detection of deoxyribonuclease activity with indicator</i>	1551M
 <b>E</b>	
<b>EGG YOLK</b> , pkg of 10 <i>Isolation of <u>Clostridium</u> and detection of lecithinase, lipase and proteolytic activity</i>	1578
<b>E.M.B. (EOSIN METHYLENE BLUE)</b> , pkg of 10 <i>Isolation of Gram negative bacilli</i>	1268

(M = Mono-plates)

<b>E.M.B. (EOSIN METHYLENE BLUE) LEVINE</b> , pkg of 10 <i>Isolation of Gram negative bacilli</i>	1859
<b>m ENDO LES</b> , pkg of 10 <i>Isolation and enumeration of pathogenic bacteria from water by membrane filtration method</i>	1681
<b>m ENTEROCOCCUS</b> , pkg of 10 <i>Isolation and enumeration of <u>Enterococcus</u> by membrane filtration method and control plate for VRE screening plate</i>	1204
<b>ESCULINE</b> , pkg of 10 <i>Isolation of <u>Group D Enterococci</u></i>	1054

**F**

<b>FAA (FASTIDIOUS ANAEROBES AGAR)</b> , pkg of 10 <i>Cultivation of anaerobes</i>	1780
<b>m FC</b> , pkg of 10 <i>Isolation and enumeration of fecal coliforms by membrane filter method from water at elevated temperature</i>	1523
<b>FUSOBACTERIUM</b> , pkg of 10 <i>Selective isolation of <u>Fusobacterium</u> sp.</i>	1067
<b>FUSOBACTERIUM NECROPHORUM</b> , pkg of 10 <i>Selective isolation and cultivation of <u>Fusobacterium necrophorum</u></i>	1097

**G**

<b>GC WITHOUT HEMOGLOBIN, N.T.M. (NEISSERIA TEST MEDIUM)</b> , pkg of 10 <i>Determination of <u>Neisseria</u> sp. sensitivity</i>	1752
<b>GLYCEROL AEROBE</b> , pkg of 10 <i>Differentiation of <u>Micrococcus</u> sp.</i>	1181

**H**

<b>HAEMOPHILUS DUCREYI</b> , pkg of 10 <i>Selective isolation of <u>Haemophilus ducreyi</u></i>	1887
<b>HAEMOPHILUS SELECTIVE AGAR (H.S.A.), CHOCOLATE BACITRACIN</b> , pkg of 10 <i>Selective isolation of <u>Haemophilus</u> sp.</i>	1984
<b>H.B.T. (HUMAN BLOOD BILAYER TWEEN)</b> , pkg of 10 <i>Isolation of <u>Gardnerella vaginalis</u></i>	1280
<b>HEKTOEN</b> , pkg of 10 <i>Isolation of Gram negative enteric bacilli (<u>Shigella</u> and <u>Salmonella</u>)</i>	1882

(M = Mono-plates)

<b>m-H.P.C. (Heterotrophic Plate Count)</b> , pkg of 10 <i>Isolation and enumeration of <u>Heterotrophic bacteria</u> by membrane filter method</i>	1960
<b>HORSE BLOOD</b> , pkg of 10 <i>General purpose culture medium</i>	1363
<b>HOYLE (POTASSIUM TELLURITE)</b> , pkg of 10 <i>Isolation and differentiation of <u>Corynebacterium diphtheriae</u></i>	1009
<b>H.T.M. (HAEMOPHILUS TEST MEDIUM)</b> , pkg of 10 <i>Determination of <u>Haemophilus</u> sp. sensitivity</i>	1702
<b>I</b>	
<b>I.M.A. (INHIBITORY MOLD AGAR)</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1599
<b>I.M.A. (INHIBITORY MOLD AGAR)</b> , 27ml, pkg of 10 <i>Selective isolation of yeasts and molds</i>	1149
<b>I.M.A. CIPROFLOXACIN</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1433
<b>ISOSENSITEST</b> , pkg of 10 <i>Determination of antibiotics sensitivity</i>	1030
<b>K</b>	
<b>KNISELY</b> , pkg of 10 <i>Isolation of <u>Bacillus anthracis</u></i>	1751
<b>L</b>	
<b>LACTOBACILLI MRS</b> , pkg of 10 <i>Isolation of <u>Lactobacillus</u> sp.</i>	1092
<b>L.B.</b> , pkg of 10 <i>Isolation of <u>Escherichia coli</u> in molecular microbiology procedures</i>	1790
<b>L.B. AMPICILLIN</b> , pkg of 10 <i>Selective isolation of <u>Escherichia coli</u> in molecular microbiology procedures</i>	1760
<b>LECITHINASE ANAEROBES AGAR (NAGLER)</b> , pkg of 10 <i>Differentiation of <u>Clostridium</u> sp.</i>	1391
<b>LECITHIN LACTOSE</b> , pkg of 10 <i>Differentiation of <u>Clostridium</u> sp.</i>	1701
<b>LETHEEN</b> , pkg of 10 <i>Enumeration of micro-organisms with membrane filtration method</i>	1260

(M = Mono-plates)

<b>LEVINTHAL</b> , pkg of 10 <i>Isolation of <u>Haemophilus</u> sp.</i>	1533
<b>LISTERIA MONOCYTOGENES (QBC CHROMO)</b> <i>A highly selective chromogenic culture media identifying <u>Listeria monocytogenes</u></i>	1840
<b>LITTMAN OXGALL</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1239
<b>LITTMAN OXGALL</b> , 27ml, pkg of 10 <i>Selective isolation of yeasts and molds</i>	1039
<b>L.K.V. (LAKED BLOOD KANAMYCIN VANCOMYCIN)</b> , pkg of 10 <i>Selective isolation of Gram negative anaerobic bacilli (<u>Bacteroides</u>)</i>	1408
<b>L.P.M. (LITHIUM CHLORIDE PHENYLETHANOL MOXALACTAM)</b> , pkg of 10 <i>Selective isolation of <u>Listeria monocytogenes</u></i>	1099
 <b>M</b>	
<b>MAC CONKEY</b> , pkg of 10 <i>Isolation of Gram negative enteric bacilli</i>	1517
<b>MAC CONKEY no. 2</b> , pkg of 10 <i>Isolation of Gram negative bacilli</i>	1930
<b>MAC CONKEY SORBITOL</b> , pkg of 10 <i>Differentiation of <u>Escherichia coli</u> 0157:H7</i>	1657
<b>MAC CONKEY WITHOUT CRYSTAL VIOLET</b> , pkg of 10 <i>Selective isolation of Gram negative organisms &amp; enterocci</i>	1037
<b>MAC CONKEY WITHOUT CRYSTAL VIOLET WITHOUT SALT</b> , pkg of 10 <i>Isolation of Gram negative organisms &amp; enterocci (reduction of <u>Proteus</u> swarming)</i>	1118
<b>MALT EXTRACT</b> , pkg of 10 <i>Isolation of yeasts and molds</i>	1449
<b>MANNITOL SALT</b> , pkg of 10 <i>Selective isolation and differentiation of <u>Staphylococcus aureus</u></i>	1858
<b>MANNITOL SALT OXACILLINE 2 mg/L</b> , pkg of 10 <i>Isolation of <u>Methicillin Resistant Staphylococcus aureus</u> (MRSA)</i>	1093
<b>MANNITOL SALT OXACILLINE 4mg/L</b> , pkg of 10 <i>Isolation of <u>Methicillin Resistant Staphylococcus aureus</u> (MRSA)</i>	1593
<b>MANNITOL SALT OXACILLINE 6 mg/L</b> , pkg of 10 <i>Isolation of <u>Methicillin Resistant Staphylococcus aureus</u> (MRSA)</i>	1453
<b>MARINE PLATE COUNT</b> , pkg of 10 <i>Cultivation and enumeration of marine microorganisms</i>	1442
<b>MARTIN LEWIS</b> , pkg of 10 <i>Selective isolation of gonococci and meningococci</i>	1357

(M = Mono-plates)

<b>MARTIN LEWIS MODIFIED</b> , pkg of 10 <i>Selective isolation of gonococci and meningococci</i>	1257
<b>MC BRIDE ENRICHED</b> , pkg of 10 <i>Isolation of <u>Listeria monocytogenes</u></i>	1720
<b>MC BRIDE LISTERIA</b> , pkg of 10 <i>Isolation of <u>Listeria monocytogenes</u></i>	1585
<b>MIDDLEBROOK 7H10</b> , pkg of 10 <i>Determination of <u>Mycobacteria</u> sensitivity</i>	1526
<b>MIDDLEBROOK 7H11</b> , pkg of 10 <i>Selective isolation of <u>Mycobacteria</u> sp.</i>	1265
<b>MITIS SALIVARIUS AGAR</b> , 25ml, pkg of 10 <i>Selective isolation of <u>Streptococcus mitis</u> and <u>Streptococcus salivarius</u></i>	1004
<b>MOBILUNCUS ANAEROBE</b> , pkg of 10 <i>Selective isolation of <u>Mobiluncus</u> sp.</i>	1346
<b>M.R.S. (MAN ROGOSA SHARP) LACTOBACILLI</b> , pkg of 10 <i>Isolation of <u>Lactobacillus</u> sp.</i>	1092
<b>MRSA MANNITOL SALT, MODIFIED</b> <i>A selective culture media for Methicillin Resistant Staphylococcus aureus</i>	1778
<b>MUELLER HINTON</b> , pkg of 10 <i>Determination of organisms sensitivity</i>	1247
<b>MUELLER HINTON ENRICHED</b> , pkg of 10 <i>Determination of fastidious organisms sensitivity</i>	1084
<b>MUELLER HINTON 4% NaCl (OXACILLIN CONTROL PLATE)</b> , pkg of 10 <i>Isolation of <u>Methicillin Resistant Staphylococcus aureus</u> (MRSA)</i>	1383
<b>MUELLER HINTON NOVOBIOCIN</b> , pkg of 10 <i>Selective isolation of <u>Staphylococcus saprophyticus</u></i>	1823
<b>MUELLER HINTON 2mg OXACILLIN NaCl</b> , pkg of 10 <i>Determination of <u>Methicillin Resistant Staphylococcus aureus</u></i>	1536
<b>MUELLER HINTON 6mg OXACILLIN NaCl (OXACILLIN SCREEN PLATE)</b> , pkg of 10 <i>Determination of <u>Methicillin Resistant Staphylococcus aureus</u></i>	1336
<b>MUELLER HINTON 5% HEMOLYSED HORSE BLOOD</b> , pkg of 10 <i>Determination of fastidious organisms sensitivity to sulfamides &amp; trimethoprim</i>	1368
<b>MUELLER HINTON 5% SHEEP BLOOD</b> , pkg of 10 <i>Determination of fastidious organisms sensitivity</i>	1334
<b>MUELLER TELLURITE</b> , pkg of 10 <i>Isolation of <u>Corynebacterium diphtheriae</u></i>	1538
<b>MYCOBIOTIC</b> , pkg of 10 <i>Selective isolation of yeasts &amp; molds</i>	1546

(M = Mono-plates)

**MYCOBIOTIC**, 27ml, pkg of 10 1606  
*Selective isolation of yeasts and molds*

**N**

**NAGLER (LECITHINASE ANAEROBES) AGAR**, pkg of 10 1391  
*Differentiation of Clostridium sp*

**NEOMYCIN 5% SHEEP BLOOD**, pkg of 10 1743  
*Selective isolation of Streptococcus  $\beta$ -haemolytic*

**NEUTRALIZING**, pkg of 10 1360  
*Cultivation and enumeration of microorganisms by membrane filtration method*

**NOVOBIOCIN AGAR 5% SHEEP BLOOD**, pkg of 10 1441  
*Selective isolation of Staphylococcus saprophyticus*

**NOVOBIOCIN BRILLIANT GREEN**, pkg of 10 1548  
*Selective isolation of Salmonella and Shigella sp.*

**N.T.M. (NEISSERIA TEST MEDIUM), GC WITHOUT HEMOGLOBIN**, pkg of 10 1752  
*Determination of Neisseria sp. sensitivity*

**NUTRIENT**, pkg of 10 1369  
*General purpose culture medium*

**N.Y.C. (NEW YORK CITY)**, pkg of 10 1865  
*Selective isolation of Neisseria gonorrhoeae and meningitidis*

**N.Y.C. (NEW YORK CITY) MEDIA WITHOUT CLAT**, pkg of 10 1884  
*Isolation of Neisseria gonorrhoeae and meningitidis*

**N.Y.C. (NEW YORK CITY) MODIFIED**, pkg of 10 1276  
*Selective isolation of Neisseria gonorrhoeae and meningitidis*

**N.Y.P.C. (NUTRIENT YEAST POLYMXIN CHLORAMPHENICOL)**, pkg of 10 1769  
*Selective isolation of Bacillus thuringiensis*

**O**

**OPFBL AGAR**, pkg of 10 1323  
*Selective isolation of Pseudomonas cepacia*

**OXACILLIN CONTROL PLATE (MUELLER HINTON 4% NaCl)**, pkg of 10 1383  
*Isolation of Methicillin Resistant Staphylococcus aureus (MRSA)*

**OXACILLIN SCREEN PLATE (MUELLER HINTON 2mg OXACILLIN NaCl)**, pkg of 10 1536  
*Isolation of Methicillin Resistant Staphylococcus aureus (MRSA)*

**OXACILLIN SCREEN PLATE (MUELLER HINTON 6mg OXACILLIN NaCl)**, pkg of 10 1336  
*Determination of Methicillin Resistant Staphylococcus aureus (MRSA)*

**OXFORD**, pkg of 10 1528  
*Selective isolation of Listeria monocytogenes*

(M = Mono-plates)

**OXGALL**, pkg of 10 1130  
*Chlamydo spores formation*

**OXFORD MODIFIED**, pkg of 10 1691  
*Selective isolation of Listeria monocytogenes*

**P**

**m PA-C**, pkg of 10 1631  
*Selective isolation of Pseudomonas aeruginosa*

**PALCAM LISTERIA**, pkg of 10 1116  
*Selective isolation of Listeria monocytogenes*

**P.E.A. (PHENYL ETHYL ALCOHOL) 5% SHEEP BLOOD**, pkg of 10 1145  
*Selective isolation of Gram positive organisms*

**PEPTONE AGAR (TRYPTOSE BLOOD AGAR)**, pkg of 10 1401  
*General purpose culture medium*

**PHYTONE YEAST EXTRACT AGAR**, pkg of 10 1552  
*Isolation of yeasts and molds*

**PHYTONE YEAST EXTRACT AGAR**, 27ml, pkg of 10 1652  
*Isolation of yeasts and molds*

**PLATE COUNT (STANDARD METHODS)**, pkg of 10 1379  
*Cultivation and enumeration of bacteria*

**m PLATE COUNT AGAR WITH PYRUVATE**, pkg of 10 1594M  
*Cultivation and enumeration of bacteria*

**PNEUMOCOCCI** , pkg of 10 1643  
*Selective isolation of Streptococcus pneumoniae*

**POTATO DEXTROSE, pH 3,5**, pkg of 10 1571  
*Cultivation and enumeration of yeasts*

**POTATO DEXTROSE, pH 5,6**, pkg of 10 1216  
*Cultivation and enumeration of yeasts*

**POTATO DEXTROSE, pH 5,6**, 27ml, pkg of 10 1071  
*Cultivation and enumeration of yeasts*

**POTATO FLAKE AGAR**, pkg of 10 1081  
*Selective isolation of yeasts and molds*

**P LYSOSTAPHIN**, pkg of 10 1822  
*Differentiation of Staphylococcus sp.*

**P STAPHYLOCOCCI**, pkg of 10 1200  
*Differentiation of Staphylococcus sp.*

**PSEUDOMONAS F**, pkg of 10 1139  
*Differentiation of Pseudomonas aeruginosa (fluorescent pigment)*

(M = Mono-plates)

<b>PSEUDOMONAS P</b> , pkg of 10 <i>Differentiation of <u>Pseudomonas</u> sp., (pyocyanine pigment A)</i>	1140
<b>PSEUDOMONAS ISOLATION</b> , pkg of 10 <i>Cultivation of <u>Pseudomonas</u> sp.</i>	1421
<b>PURPLE AGAR WITH STARCH</b> , pkg of 10 <i>Differentiation of <u>Gardnerella vaginalis</u></i>	1207
<b>PYRUVATE</b> , pkg of 10 <i>Isolation of <u>Nocardia</u> sp.</i>	1509

**Q**

<b>QBC CHROMO LISTERIA MONOCYTOGENES</b> <i>A highly selective chromogenic culture media identifying <u>Listeria monocytogenes</u></i>	1840
---	------

**R**

<b>R2 A</b> , pkg of 10 <i>Enumeration of organisms by membrane filtration method</i>	1590
<b>REGAN LOWE</b> , pkg of 10 <i>Selective isolation of <u>Bordetella pertussis</u></i>	1485
<b>REGAN LOWE WITHOUT ANTIBIOTICS</b> , pkg of 10 <i>Isolation of <u>Bordetella pertussis</u></i>	1771
<b>ROGOSA</b> , pkg of 10 <i>Selective isolation of <u>Lactobacillus</u></i>	1800
<b>ROSE BENGAL STREPTOMYCIN</b> , pkg of 10 <i>Isolation and enumeration of yeasts and molds</i>	1241

**S**

<b>SABOURAUD DEXTROSE</b> , pkg of 10 <i>Cultivation of yeasts and molds</i>	1015
<b>SABOURAUD DEXTROSE</b> , 27ml, pkg of 10 <i>Cultivation of yeasts and molds</i>	1288
<b>SABOURAUD DEXTROSE CHLORAMPHENICOL</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1725
<b>SABOURAUD DEXTROSE CHLORAMPHENICOL</b> , 27ml, pkg of 10 <i>Selective isolation of yeasts and molds</i>	1925
<b>SABOURAUD DEXTROSE CHLORAMPHENICOL CYCLOHEXIMIDE</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1095

(M = Mono-plates)

<b>SABOURAUD DEXTROSE CHLORAMPHENICOL CYCLOHEXIMIDE GENTAMYCIN</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1922
<b>SABOURAUD DEXTROSE CHLORAMPHENICOL CYCLOHEXIMIDE GENTAMYCIN</b> , 27ml, pkg of 10 <i>Selective isolation of yeasts and molds</i>	1952
<b>SABOURAUD DEXTROSE CHLORAMPHENICOL GENTAMYCIN</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1124
<b>SABOURAUD DEXTROSE CHLORAMPHENICOL GENTAMYCIN</b> , 27ml, pkg of 10 <i>Selective isolation of yeasts and molds</i>	1731
<b>SABOURAUD DEXTROSE CHLORAMPHENICOL 16 mg/L GENTAMYCIN 5 mg/L</b> , 27ml, pkg of 10 <i>Selective isolation of yeasts and molds</i>	1781
<b>SABOURAUD DEXTROSE, EMMONS</b> , pkg of 10 <i>Enhancement of molds sporulation</i>	1041
<b>SABOURAUD DEXTROSE VCT (VANCOMYCIN COLYMICIN TRIMETHOPRIM)</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1285
<b>SELECTIVE STREPTOCOCCUS 5% SHEEP BLOOD</b> , pkg of 10 <i>Selective isolation of <u>Streptococcus</u> sp.</i>	1690
<b>SELECTIVE STREPTO A</b> , pkg of 10 <i>Selective isolation of <u>Streptococcus</u> group A</i>	1503
<b>SELECTIVE STREP "A"</b> , pkg of 10 <i>Selective isolation of <u>Streptococcus</u> sp.</i>	1220
<b>SENSI OXA-2</b> , pkg of 10 <i>Determination of oxacillin sensitivity</i>	1741
<b>SKIM MILK</b> , pkg of 10 <i>Cultivation and enumeration of bacteria in milk</i>	1135
<b>S.S. (SALMONELLA SHIGELLA)</b> , pkg of 10 <i>Isolation of Gram negative enteric bacilli</i>	1127
<b>STANDARD METHODS (PLATE COUNT)</b> , pkg of 10 <i>Cultivation and enumeration of bacteria</i>	1379
<b>STARCH 0.3%</b> , pkg of 10 <i>Determination of starch hydrolysis</i>	1043
<b>STARCH 1%</b> , pkg of 10 <i>Determination of starch hydrolysis</i>	1226
<b>STREPTOMYCIN TEST</b> , pkg of 10 <i>Antibiotic tests</i>	1941M
<b>SODIUM TAUROCHOLATE</b> , pkg of 10 <i>Selective isolation of <u>Clostridium difficile</u></i>	1846

(M = Mono-plates)

**T**

<b>T.C.B.S. (THIOSULFATE CITRATE BILE SALTS SUCROSE)</b> , pkg of 10 <i>Selective isolation of <u>Vibrio cholerae</u></i>	1022
<b>m TEC (THERMOTOLERANT ESCHERICHIA COLI AGAR)</b> , pkg of 10 <i>Isolation and enumeration of coliforms</i>	1661
<b>m TEC X-GAL WITHOUT INDICATOR</b> , pkg of 10 <i>Isolation and enumeration of coliforms</i>	1666
<b>m TEC X-GLUC WITHOUT INDICATOR</b> , pkg of 10 <i>Isolation and enumeration of coliforms</i>	1766
<b>T.G.E.A. (TRYPTONE GLUCOSE EXTRACT AGAR) WITH T.T.C. (TETRAZOLIUM CHLORIDE)</b> , pkg of 10 <i>Isolation of organisms from dairies and foods</i>	1476
<b>THAYER MARTIN MODIFIED</b> , pkg of 10 <i>Selective isolation of gonococci and meningococci</i>	1648
<b>THAYER MARTIN TRIMETHOPRIM VANCOMYCIN</b> , pkg of 10 <i>Selective isolation of gonococci and meningococci</i>	1914
<b>THERMONUCLEASE</b> , pkg of 10 <i>Determination of thermonuclease production</i>	1669M
<b>TINSDALE</b> , pkg of 10 <i>Selective isolation of <u>Corynebacterium diphtheriae</u></i>	1072
<b>TRIBUTYRINE</b> , pkg of 10 <i>Detection and enumeration of lipolytic bacteria and molds</i>	1120
<b>TRYPTONE BILE</b> , pkg of 10 <i>Selective isolation of <u>Escherichia coli</u> biotype I in foodstuffs</i>	1629
<b>TRYPTOSE</b> , pkg of 10 <i>Cultivation of fastidious organisms</i>	1642
<b>TRYPTOSE YEAST 5% SHEEP BLOOD</b> , pkg of 10 <i>Cultivation of fastidious organisms</i>	1572
<b>T.S.A. (TRYPTIC SOY)</b> , pkg of 10 <i>General purpose culture medium</i>	1094
<b>T.S.A. (TRYPTIC SOY) 30 ml</b> , pkg of 10 <i>General purpose culture medium</i>	1799
<b>T.S.A. (TRYPTIC SOY) 5% BOVINE BLOOD</b> , pkg of 10 <i>General purpose culture medium</i>	1045
<b>T.S.A. (TRYPTIC SOY) 5% HORSE BLOOD</b> , pkg of 10 <i>General purpose culture medium</i>	1047
<b>T.S.A. (TRYPTIC SOY) 5% RABBIT BLOOD</b> , pkg of 10 <i>General purpose culture medium</i>	1225

(M = Mono-plates)

<b>T.S.A. (TRYPTIC SOY) 5% SHEEP BLOOD</b> , pkg of 10 <i>General purpose culture medium</i>	1993
<b>T.S.A. LECITHIN POLYSORBATE</b> , pkg of 10 <i>Isolation and enumeration of bacteria</i>	1201
<b>T.S.A. LISTERIA</b> , pkg of 10 <i>Enriched medium for the isolation of <u>Listeria monocytogenes</u></i>	1621
<b>T.S.A. LISTERIA 7% HORSE BLOOD</b> , pkg of 10 <i>Enriched medium for the cultivation of <u>Listeria monocytogenes</u></i>	1300
<b>T.S.A. LISTERIA 5% SHEEP BLOOD</b> , 10 ml, pkg of 10 <i>Isolation of <u>Listeria monocytogenes</u></i>	1074
<b>T.S.A. LISTERIA 5% SHEEP BLOOD</b> , 15 ml, pkg of 10 <i>Isolation of <u>Listeria monocytogenes</u></i>	1574
<b>T.S.A. WITH FAST GREEN</b> , pkg of 10 <i>Cultivation of bacteria</i>	1171
<b>T.S.A. WITH SODIUM PYRUVATE</b> , pkg of 10 <i>Cultivation of bacteria</i>	1577M
<b>TSBA MEDIUM FOR AEROBES</b> , pkg of 10 <i>Cultivation of fastidious aerobes</i>	1339
<b>TSBA WITH YEAST EXTRACT</b> , pkg of 10 <i>General purpose culture medium</i>	1598
<b>TSBV (T.S.A. WITH SERUM, BACITRACIN, VANCOMYCIN)</b> , pkg of 10 <i>Selective isolation of <u>Actinomyces</u> sp.</i>	1747
<b>U</b>	
<b>UNIVERSAL AGAR #2</b> , pkg of 10 <i>Cultivation of plurality microorganisms</i>	1231
<b>V</b>	
<b>V. AGAR 5% HUMAN BLOOD</b> , pkg of 10 <i>Isolation of <u>Gardnerella vaginalis</u></i>	1305
<b>V. AGAR SELECTIVE</b> , pkg of 10 <i>Selective isolation of <u>Gardnerella vaginalis</u></i>	1581
<b>VEILLONELLA</b> , pkg of 10 <i>Selective isolation of <u>Veillonella</u> sp.</i>	1076
<b>VIOLET RED BILE</b> , pkg of 10 <i>Selective isolation of coliforms from dairies and foods</i>	1480
<b>VOGEL JOHNSON</b> , pkg of 10 <i>Selective isolation and differentiation of <u>Staphylococcus aureus</u></i>	1570

(M = Mono-plates)

**VRE BHIA VANCOMYCINE**, pkg of 10 1950  
*Selective screening or confirmatory medium for Vancomycine Resistant Enterococcus*

**VRE SCREENING**, pkg of 10 1951  
*Selective screening for Vancomycine Resistant Enterococcus*

**W**

**WILKINS CHALGREN**, pkg of 10 1991  
*Determination of anaerobes sensitivity*

**X**

**X.L.D. (XYLOSE LYSINE DESOXYCHOLATE)**, pkg of 10 1742  
*Selective isolation of pathogenic Enterobacteriaceae*

**X.S.A. (XANTHOMONAS)**, pkg of 10 1617  
*Selective isolation of Xanthomonas maltophilia*

**Y**

**YEAST EXTRACT PHOSPHATE**, pkg of 10 1478  
*Isolation of yeasts and molds*

**Y.M. (YEAST AND MOLD)**, pkg of 10 1975  
*Selective isolation of yeasts and molds*

**Y.M. (YEAST AND MOLD) WITH CHLORAMPHENICOL**, pkg of 10 1875  
*Selective isolation of yeasts and molds*

**YERSINIA (C.I.N.)**, pkg of 10 1812  
*Selective isolation of Yersinia enterocolitica*

**Monoplates 150mm X 15mm**

**BRUCELLA ANAEROBES**, pkg of 5 1350  
*Determination of anaerobes sensitivity*

**CHOCOLATE**, pkg of 5 1168  
*Isolation of fastidious organisms*

**m ENDO LES**, pkg of 5 1395  
*Isolation and enumeration of pathogenic bacteria from water*

**m FC**, pkg of 5 1495  
*Isolation and enumeration of coliforms by membrane method from water*

(M = Mono-plates)

<b>GC WITHOUT HEMOGLOBIN, N.T.M. (NEISSERIA TEST MEDIUM)</b> , pkg of 5 <i>Determination of <u>Neisseria</u> sp. sensitivity</i>	1852
<b>H.T.M. (HAEMOPHILUS TEST MEDIUM)</b> , pkg of 5 <i>Determination of <u>Haemophilus</u> sp. sensitivity</i>	1802
<b>L.B.</b> , pkg of 5 <i>Isolation of <u>Escherichia coli</u> in molecular microbiology procedures</i>	1740
<b>L.B. AMPICILLIN</b> , pkg of 5 <i>Selective isolation of <u>Escherichia coli</u> in molecular microbiology procedures</i>	1710
<b>MUELLER HINTON</b> , pkg of 5 <i>Determination of organisms sensitivity (Kirby-Bauer)</i>	1569
<b>MUELLER HINTON CHOCOLATE</b> , pkg of 5 <i>Determination of fastidious organisms sensitivity</i>	1471
<b>MUELLER HINTON 5% HEMOLYSED HORSE BLOOD</b> , pkg of 5 <i>Determination of fastidious organisms sensitivity to sulfamides &amp; trimethoprim</i>	1940
<b>MUELLER HINTON 5% SHEEP BLOOD</b> , pkg of 5 <i>Determination of fastidious organisms sensitivity</i>	1735
<b>MUELLER HINTON 10% SHEEP BLOOD</b> , pkg of 5 <i>Cultivation of fastidious organisms</i>	1100
<b>MUELLER HINTON 4% NaCl (OXACILLIN CONTROL PLATE)</b> , pkg of 5 <i>Isolation of <u>Methicillin Resistant Staphylococcus aureus</u> (MRSA)</i>	1867
<b>N.T.M. (NEISSERIA TEST MEDIUM), GC WITHOUT HEMOGLOBIN</b> , pkg of 5 <i>Determination of <u>Neisseria</u> sp. sensitivity</i>	1852
<b>T.S.A. (TRYPTIC SOY)</b> , pkg of 5 <i>General purpose culture medium</i>	1750
<b>T.S.A. (TRYPTIC SOY) 5% SHEEP BLOOD</b> , pkg of 5 <i>General purpose culture medium</i>	1021
<b>T.S.A. LECITHINE POLYSORBATE</b> , pkg of 5 <i>Isolation and enumeration of bacteria</i>	1301
<b>WILKINS CHALGREN</b> , pkg of 5 <i>Determination of anaerobes sensitivity</i>	1191

## Monoplates 60mm X 15mm

<b>A7 DIFFERENTIAL</b> , pkg of 10 <i>Isolation and identification of <u>Ureaplasma</u> and <u>Mycoplasma</u> sp.</i>	1542
<b>A8 MYCOPLASMA</b> , pkg of 10 <i>Isolation and identification of <u>Ureaplasma</u> and <u>Mycoplasma</u> sp.</i>	1726

(M = Mono-plates)

<b>BAIRD PARKER</b> , pkg of 10 <i>Selective isolation and enumeration of <u>Staphylococcus aureus</u></i>	1024
<b>BUFFERED</b> , pkg of 10 <i>Agar to be supplied with special ingredient</i>	1061
<b>m ENDO LES</b> , pkg of 10 <i>Isolation and enumeration of pathogenic bacteria from water</i>	1250
<b>m ENTEROCOCCUS</b> , pkg of 10 <i>Isolation and enumeration of <u>Enterococcus</u> by membrane filtration method</i>	1304
<b>m FC</b> , pkg of 10 <i>Isolation and enumeration of coliforms by membrane filtration method from water</i>	1623
<b>m PA-C</b> , pkg of 10 <i>Selective isolation of <u>Pseudomonas aeruginosa</u></i>	1025
<b>MYCOPLASMA PNEUMONIAE</b> , pkg of 10 <i>Isolation and identification of <u>Mycoplasma pneumoniae</u></i>	1005

## Contact Plates 65mm X 15mm

<b>ASPERGILLUS</b> , pkg of 10 <i>Selective isolation and enumeration of <u>Aspergillus</u> sp.</i>	1550
<b>COLUMBIA CNA 5% SHEEP BLOOD</b> , pkg of 10 <i>Selective enumeration of Gram positive organisms</i>	1987
<b>LETHEEN</b> , pkg of 10 <i>Sampling of surfaces sanitized with quaternary ammonium compounds</i>	1466
<b>LITTMAN OXGALL</b> , pkg of 10 <i>Selective isolation of yeasts and molds</i>	1539
<b>MAC CONKEY</b> , pkg of 10 <i>Isolation and enumeration of Gram negative enteric bacilli</i>	1821
<b>MALT EXTRACT</b> , pkg of 10 <i>Isolation and enumeration of yeasts and molds</i>	1997
<b>MANNITOL SALT</b> , pkg of 10 <i>Selective isolation and enumeration of <u>Staphylococcus aureus</u></i>	1403
<b>MUELLER HINTON</b> , pkg of 10 <i>General purpose culture medium</i>	1541
<b>MYCOLOGICAL pH 4.8</b> , pkg of 10 <i>General purpose culture medium for yeasts</i>	1761
<b>NEUTRALIZING</b> , pkg of 10 <i>Sampling of surfaces sanitized with quaternary ammonium compounds</i>	1566

(M = Mono-plates)

<b>PLATE COUNT (STANDARDS METHODS)</b> , pkg of 10 <i>Cultivation and enumeration of bacteria</i>	1213
<b>POTATO DEXTROSE</b> , pkg of 10 <i>Isolation and enumeration of yeasts &amp; molds</i>	1193
<b>SABOURAUD DEXTROSE</b> , pkg of 10 <i>Isolation and enumeration of yeasts and molds</i>	1291
<b>SABOURAUD DEXTROSE CG (CHLORAMPHENICOL GENTAMYCIN)</b> , pkg of 10 <i>Selective isolation and enumeration of yeasts &amp; molds</i>	1755
<b>SABOURAUD DEXTROSE CCG (CHLORAMPHENICOL CYCLOHEXIMIDE GENTAMICIN)</b> , pkg of 10 <i>Selective isolation and enumeration of yeasts &amp; molds</i>	1482
<b>SABOURAUD DEXTROSE LECITHIN POLYSORBATE 80</b> , pkg of 10 <i>General purpose for yeasts and molds and sampling of sanitized with quaternary ammonium compounds</i>	1261
<b>STANDARDS METHODS (PLATE COUNT)</b> , pkg of 10 <i>Cultivation and enumeration of bacteria</i>	1213
<b>T.S.A. (TRYPTIC SOY) 5% SHEEP BLOOD</b> , pkg of 10 <i>General purpose culture medium</i>	1794
<b>T.S.A. (TRYPTIC SOY) LECITHIN POLYSORBATE 80</b> , pkg of 10 <i>General purpose culture medium and sampling of surfaces sanitized with quaternary ammonium compounds</i>	1558
<b>VIOLET RED BILE</b> , pkg of 10 <i>Selective isolation and enumeration of coliforms from dairies and foods</i>	1490

### Biplates 100mm X 15mm

<b>BEE/CDC 5% SHEEP BLOOD ANAEROBE</b> , pkg of 10	1428
<b>BHIA/BHIA 6mg VANCOMYCIN</b> , pkg of 10	1111
<b>BRUCELLA NED/LKV</b> , pkg of 10	1058
<b>CAMPY CSM/CAMPY CSM</b> , pkg of 10	1418
<b>CAMPY PBF/CAMPY PBF</b> , pkg of 10	1144
<b>CDC-PEA 5% SHEEP BLOOD/LKV ANAEROBE</b> , pkg of 10	1295
<b>CHOCOLATE/MARTIN LEWIS</b> , pkg of 10	1457
<b>CHOCOLATE/N.Y.C.</b> , pkg of 10	1565
<b>CHOCOLATE/THAYER MARTIN MODIFIED</b> , pkg of 10	1330
<b>CIN/CIN</b> , pkg of 10	1321

(M = Mono-plates)

<b>CLED/MAC CONKEY</b> , pkg of 10	1325
<b>CLED/THAYER MARTIN</b> , pkg of 10	1498
<b>COLUMBIA CNA 5% SHEEP BLOOD/MAC CONKEY</b> , pkg of 10	1298
<b>COLUMBIA 5% HORSE BLOOD/MAC CONKEY</b> , pkg of 10	1003
<b>COLUMBIA 5% SHEEP BLOOD/CHOCOLATE</b> , pkg of 10	1450
<b>COLUMBIA 5% SHEEP BLOOD/COLUMBIA 5% SHEEP BLOOD</b> , pkg of 10	1430
<b>COLUMBIA 5% SHEEP BLOOD/MAC CONKEY</b> , pkg of 10	1002
<b>COLUMBIA 5% SHEEP BLOOD/MAC CONKEY WITHOUT C.V.</b> , pkg of 10	1415
<b>COLUMBIA 5% SHEEP BLOOD/MAC CONKEY WITHOUT C.V. &amp; WITHOUT SALT</b> , pkg of 10	1902
<b>COLUMBIA 5% SHEEP BLOOD/PEA 5% SHEEP BLOOD</b> , pkg of 10	1162
<b>HEKTOEN/HEKTOEN</b> , pkg of 10	1107
<b>HEKTOEN/MAC CONKEY</b> , pkg of 10	1224
<b>HEKTOEN/S.S.</b> , pkg of 10	1422
<b>LKV/BBE</b> , pkg of 10	1968
<b>LKV/BRUCELLA ANAEROBES 5% SHEEP BLOOD</b> , pkg of 10	1186
<b>MAC CONKEY/MAC CONKEY</b> , pkg of 10	1253
<b>MAC SORBITOL/MAC SORBITOL</b> , pkg of 10	1381
<b>MALT EXTRACT/IMA-CIPROFLOXACIN</b> , pkg of 10	1600
<b>MALT EXTRACT/TGEA TTC</b> , pkg of 10	1500
<b>MYCOBIOTIC/D.T.M.</b> , pkg of 10	1233M
<b>S.S./S.S.</b> , pkg of 10	1939
<b>TGEA-TTC/IMA-CIPROFLOXACIN</b> , pkg of 10	1700
<b>TSA 5% SHEEP BLOOD/CHOCOLATE</b> , pkg of 10	1785
<b>TSA 5% SHEEP BLOOD/MAC CONKEY</b> , pkg of 10	1501
<b>TSA 5% SHEEP BLOOD/TSA 5% SHEEP BLOOD</b> , pkg of 10	1651

**Triplates 100mm X 15mm**

<b>ACTINOMYCETES</b> , pkg of 10 <i>Differentiation of <u>Nocardia</u> sp.</i>	1531
---	------

(M = Mono-plates)

**COLUMBIA 5% SHEEP BLOOD / EDWARD 5% SHEEP BLOOD / MAC CONKEY #2**, pkg of 10 1075  
*Identification screen for plurality organisms*

### Quad Plates 100mm X 15mm

**HAEMOPHILUS IDENTIFICATION**, pkg of 10 1274  
*Identification of Haemophilus sp.*

**H.L.A.R. (HIGH LEVEL AMINOGLYCOSIDES RESISTANCE)**, pkg of 10 1851  
*Identification of high level aminoglycosides resistances of enterococci*

**MICROSYSTEM MASTITIS**, pkg of 10 1006  
*Identification of Bovine Mastitis*

### Square plates 100mm X 15mm

**m ENDO LES**, pkg of 10 1671  
*Isolation and enumeration of pathogenic bacteria from water*

### Petri 50mm X 9mm

**R2 A**, pkg of 10 1591  
*Enumeration of organisms with membrane filtration method*

### Jembec Kits

*Transport and culture of clinical specimens  
 Package of 10 plates with CO<sub>2</sub> tablets and bags*

**BIGGY AGAR** 1354  
*Transport and cultivation of Candida sp.*

**CHOCOLATE AGAR** 1311  
*Transport and cultivation of fastidious organisms*

**COLUMBIA 5% SHEEP BLOOD AGAR** 1018  
*Transport and cultivation of β Hemolytic streptococci*

**NEW YORK CITY AGAR** 1410  
*Transport and selective isolation of gonococci and meningococci*

**SELECTIVE STREP A AGAR** 1468  
*Transport and selective isolation of Group A Streptococcus*

(M = Mono-plates)

**THAYER MARTIN TRIMETHOPRIM AGAR**

*Transport and selective isolation of gonococci and meningococci*

1371

**V SELECTIVE AGAR**

*Transport and selective isolation of Gardnerella vaginalis*

1387