

All products are packed in racks of 10 units. For a box of 100 tubes, add an "H" to the end of code number. All mini-vials are packed in 100 units.

A

ACETAMIDE AGAR <i>Differentiation of <u>Pseudomonas aeruginosa</u></i>	16X125 mm, 5 ml	2708
ACETATE DIFFERENTIAL AGAR <i>Selective differentiation of <u>Enterobacteriaceae</u></i>	13 X 100 mm, 3 ml	2024
AGAR STERILE 1.5% <i>Sensitivity test medium</i>	16 X 125 mm, 10 ml	2405
AMIES CHARCOAL AGAR <i>Transport medium for fastidious organisms</i>	17 X 60 mm, 8 ml	2952
AMIES WITHOUT CHARCOAL AGAR <i>Transport medium for clinical specimens</i>	17 X 60 mm, 8 ml	2119
ANDRADE'S BROTH <i>Determination of carbohydrate fermentation (<u>Enterobacteriaceae</u>)</i>	13 X 100 mm, 4 ml	
CONTROL		2721
1% ADONITOL		2703
1% ARABINOSE		2704
1% DULCITOL		2705
1% GLUCOSE		2706
1% INOSITOL		2707
1% INULIN		2722
1% LACTOSE		2709
1% MALTOSE		2710
1% MANNITOL		2711
1% RAFFINOSE		2713
1% RHAMNOSE		2714
1% SALICIN		2716
1% SORBITOL		2718
1% SUCROSE		2719
1% XYLOSE		2720

ANTIBIOTIC # 3 (PENASSAY) MEDIUM <i>Sensitivity test medium for some antibiotics</i>	16 X 125 mm, 10 ml	2712
--	--------------------	------

ARGININE MYCOPLASMA BROTH <i>Differentiation of <u>Mycoplasma sp.</u></i>	12 X 75 mm, 2 ml	2991
	13 X 100 mm PS, 2 ml	2980

B

BACTOMETER BROTH <i>General purpose culture medium for bactometer</i>	16 X 125 mm, 5 ml	2831
---	-------------------	------

B.C.P. (BROM CRESOL PURPLE) BROTH , Durham tube <i>Determination of carbohydrate fermentation (<u>Enterobacteriaceae</u>)</i>	16 X 125 mm, 8 ml	
---	-------------------	--

CONTROL		2063
1% ADONITOL		2268
1% ARABINOSE		2624

1% CELLOBIOSE		2186
1% DEXTRINE		2254
1% DEXTROSE		2806
1% DULCITOL		2060
1% FRUCTOSE		2205
1% GALACTOSE		2687
1% INULINE		2850
1% INOSITOL		2639
1% LACTOSE		2945
1% MANNITOL		2134
1% MALTOSE		2195
1% MELIBIOSE		2511
1% RAFFINOSE		2729
1% RHAMNOSE		2307
1% SALICIN		2180
1% SORBITOL		2915
1% SUCROSE		2078
1% TREHALOSE		2890
1% XYLOSE		2568
B.C.P. GLUCOSE MILK AGAR	16 X 125 mm, 5 ml	2667
<i>Isolation of yeasts and molds</i>		
B.C.P. MILK YEAST GENTAMYCIN AGAR	16 X 125 mm, 5 ml	2767
<i>Selective isolation of yeasts and molds</i>		
B.H.I.A. (BRAIN HEART INFUSION) AGAR	16 X 125 mm, 5 ml	2468
<i>General purpose culture medium</i>	20 X 125 mm, 10 ml	2852
B.H.I.A. CHLORAMPHENICOL CYCLOHEXIMIDE AGAR	20 X 125 mm, 10 ml	2489
<i>Selective isolation of yeasts and molds</i>		
B.H.I.A. CHLORAMPHENICOL CYCLOHEXIMIDE GENTAMYCIN AGAR	25 ml/bottle, 20/box	5043
<i>Selective isolation of yeasts and molds</i>		
B.H.I.A. CHLORAMPHENICOL CYCLOHEXIMIDE GENTAMYCIN 5% SHEEP BLOOD AGAR	25 ml/bottle, 20/box	5042
<i>Selective isolation of yeasts and molds</i>		
B.H.I.A. CHLORAMPHENICOL GENTAMYCIN 5% SHEEP BLOOD AGAR	20 X 125 mm, 10 ml	2868
<i>Selective isolation of yeasts and molds</i>		
B.H.I.A. CHLORAMPHENICOL 6% SHEEP BLOOD AGAR	20 X 125 mm, 10 ml	2968
<i>Selective isolation of yeasts and molds</i>		
B.H.I.A. 5% SHEEP BLOOD AGAR	16 X 125 mm, 5 ml	2441
<i>General purpose culture medium</i>		
B.H.I.A. WITH HEMIN & VITAMIN K AGAR	20 X 125 mm, 15 ml	2065
<i>Cultivation of anaerobes</i>		
B.H.I. (BRAIN HEART INFUSION) BROTH	13 X 100 mm, 0,5 ml	2475
<i>General purpose culture medium</i>	13 X 100 mm, 2 ml	2784
	16 X 125 mm, 5 ml	2677
	16 X 125 mm, 10 ml	2740
	one bottle of 100 ml	6614

B.H.I. ANAEROBE BROTH	16 X 125 mm, 5 ml	2458
<i>Cultivation of anaerobes</i>	20 X 125 mm, 15 ml	2136
B.H.I. ANAEROBE ENRICHED BROTH	16 X 125 mm, 5 ml	2790
<i>General purpose medium for anaerobes</i>		
B.H.I. CYSTEIN HEMIN VITAMIN K YEAST BROTH	20 X 125 mm, 20 ml	2021
<i>Culture of anaerobes</i>		
B.H.I. FILDES BROTH	16 X 125 mm, 5 ml	2008
<i>Cultivation of <u>Haemophilus</u> sp.</i>		
B.H.I. 15% GLYCEROL BROTH	17 X 60 mm, 2 ml	2139
<i>Freezing stock culture medium</i>		
B.H.I. 6,5% NaCl BROTH	16 X 125 mm, 5 ml	2368
<i>Differentiation of <u>Group D Streptococcus</u></i>		
B.H.I. 15% NaCl BROTH	16 X 125 mm, 5 ml	2897
<i>Differentiation of <u>Staphylococcus</u> in foods</i>		
BILE ESCULIN AGAR	13 X 100 mm, 3 ml	2039
<i>Selective isolation of <u>Group D Enterococci</u></i>	16 X 125 mm, 5 ml	2540
BILE ESCULIN AZIDE BROTH	16 X 125 mm, 5 ml	2886
<i>Selective isolation of <u>Group D Enterococci</u></i>		
BORDETELLA PERTUSSIS , transport medium	17 X 60 mm, 8 ml	2555
<i>Transport medium for <u>Bordetella pertussis</u></i>		
BRILLIANT GREEN 2% BILE BROTH , Durham tube	16 X 125 mm, 10 ml	2373
<i>Selective cultivation of coliforms in water, dairy and other food products</i>		
BRUCELLA BROTH	16 X 125 mm, 5 ml	2600
<i>General purpose culture medium</i>		
BUFFERED PEPTONE WATER BROTH	16 X 125 mm, 5 ml	2482
<i>Pre-enrichment medium for cultivation of <u>Salmonella</u> sp.</i>		
C		
CAMPYLOBACTER THIOGLYCOLATE TRANSPORT MEDIUM	13 X 100 mm, 5 ml	2381
<i>Selective transport medium for <u>Campylobacter</u> sp.</i>	16 X 125 mm, 10 ml	2340
CARY BLAIR TRANSPORT MEDIUM	17 X 90 mm PP, 10 ml	2985
<i>General purpose transport medium</i>	16 X 125 mm, 14 ml	2981
CASAMINO ACIDS CHLORAMPHENICOL CYCLOHEXIMIDE GENTAMYCIN AGAR	20 X 125 mm, 10 ml	2072
<i>Selective isolation of yeasts and molds</i>		
CCF (CYCLOSERIN CEFOXITIN FRUCTOSE) BROTH	16 X 125 mm, 5 ml	2872
<i>Selective cultivation of <u>Clostridium difficile</u></i>		

CETRIMIDE AGAR	13 X 100 mm, 3 ml	2477
<i>Selective isolation of <u>Pseudomonas</u> sp.</i>	16 X 125 mm, 5 ml	2791
CHARCOAL (AMIES AGAR) TRANSPORT MEDIUM	17 X 60 mm, 8 ml	2952
<i>Transport medium for fastidious organisms</i>		
CHLAMYDIA 2SP BROTH	50 tubes, 13 X 82 mm, 2 ml, with 50 pkg of 3 swabs	2447KR
<i>Transport medium for <u>Chlamydia</u> sp.</i>	16 X 125 mm, 1 ml	2550
	16 X 125 mm, 2 ml	2837
CHOCOLATE AGAR (mini-vials)	17 X 55 mm, 2 ml	2500
<i>Transport medium for fastidious micro-organisms</i>		
CHOCOLATE AGAR	16 X 125 mm, 5 ml	2929
<i>Cultivation of fastidious organisms</i>		
CITRATE (SIMMONS) AGAR	13 X 100 mm, 3 ml	2443
<i>Differentiation of <u>Enterobacteriaceae</u></i>	16 X 125 mm, 5 ml	2746
CLOSTRIDIUM DIFFICILE SCREENING TUBE	16 x 125 mm, 5 ml	2292
<i>A selective screening tube for <u>Clostridium difficile</u></i>	Kit contains 50 tubes and 50 swabs	2292K
COLUMBIA AGAR, PH 7,45	16 X 125 mm, 5 ml	2100
<i>General purpose culture medium</i>		
COLUMBIA 5% SHEEP BLOOD CHLORAMPHENICOL AGAR	25 ml/bottle	5012
<i>Selective isolation of yeasts and molds</i>		
COLUMBIA 5% SHEEP BLOOD AGAR (mini-vials)	17 X 55 mm, 2 ml	2449
<i>General purpose transport medium</i>		
COLUMBIA 5% SHEEP BLOOD AGAR	16 X 125 mm, 5 ml	2665
<i>General purpose culture medium</i>		
COOKED MEAT BROTH	16 X 125 mm, 10 ml	2618
<i>Isolation of anaerobes</i>		
COOKED MEAT GLUCOSE YEAST BROTH	16 X 125 mm, 10 ml	2095
<i>Isolation of anaerobes</i>		
COOKED MEAT CARBOHYDRATES WITH SELECTIVE ENRICHMENT BROTH	16 X 125 mm, 5 ml	2050
<i>Selective cultivation of <u>Clostridium difficile</u></i>		
COOKED MEAT ENRICHED BROTH	16 X 125 mm, 10 ml	2559
<i>Isolation of anaerobes</i>	20 X 125 mm, 15 ml	2855
	20 X 125 mm, 20 ml	2493
COOKED MEAT GLUCOSE HEMIN VITAMIN K BROTH	16 X 125 mm, 10 ml	2644
<i>Isolation of anaerobes</i>		
C.T.A. (CYSTINE TRYPTIC) AGAR	16 X 125 mm, 10 ml	
<i>Determination of carbohydrate fermentation</i>		
CONTROL		2392
1% ADONITOL		2228
1% ARABINOSE		2778



1% DEXTROSE		2940
1% LACTOSE		2190
1% MALTOSE		2780
1% MANNITOL		2933
1% SALICIN		2608
1% SORBITOL		2456
1% STARCH		2717
1% SUCROSE		2305
1% TREHALOSE		2563
1% XYLOSE		2954

CZAPEK SOLUTION	20 X 125 mm, 10 ml	2693
<i>General purpose culture medium for molds</i>		

D

D/E NEUTRALIZING	16 X 125 mm, 5 ml	2275
<i>Neutralizing and testing of antiseptic and disinfecting including quaternary ammonium compounds</i>		
	10 ml with swab, 50/box	2658

DECARBOXYLASE MOELLER BROTH
Differentiation of Enterobacteriaceae

CONTROL	13 X 100 mm, 3 ml	2412
	16 X 125 mm, 5 ml	2839
1% ARGININE	13 X 100 mm, 2 ml	2025
	13 X 100 mm, 3 ml	2413
	16 X 125 mm, 5 ml	2061
1% LYSINE	13 X 100 mm, 3 ml	2411
	16 X 125 mm, 5 ml	2867
1% ORNITHINE	13 X 100 mm, 3 ml	2410
	16 X 125 mm, 5 ml	2795

DERMATOPHYTE AGAR	20 X 125 mm, 10 ml	2766
<i>Isolation and identification of dermatophytes</i>		

DIAMOND MODIFIED TRICHOMONAS BROTH	13 X 100 mm, 4 ml	2431
<i>Selective isolation of <u>Trichomonas vaginalis</u></i>		
	16 X 125 mm, 5 ml	2491

DIAMOND BROTH, SPECIAL	16 X 125 mm, 14 ml	2253
<i>Selective isolation of <u>Trichomonas vaginalis</u></i>		

DIAMOND TRICHOMONAS BROTH	16 X 125 mm, 5 ml	2351
<i>Selective isolation of <u>Trichomonas vaginalis</u></i>		

DNASE BLEU TOLUIDINE AGAR	13 X 100 mm, 3 ml	2271
<i>Detection of deoxyribonuclease activity</i>		

DORSET MEDIUM	13 X 100 mm, 2 ml	2544
<i>General purpose culture medium for <u>Enterobacteriaceae</u></i>		

DORSET MEDIUM, BIJOU VIAL	30 X 60 mm, 10 ml	2861
<i>General purpose culture medium for <u>Enterobacteriaceae</u></i>		



DUBOS BROTH <i>General purpose culture medium for <u>Mycobacterium</u> sp.</i>	20 X 125 mm, 10 ml	2751
DULCITOL 5% SOLUTION <i>Sterile solution of 5% Dulcitol</i>	16 X 125 mm, 5 ml	2982
E		
EC, DURHAM TUBE BROTH <i>Selective isolation of fecal and non fecal coliforms from water</i>	16 X 125 mm, 8 ml	2914
ENTEROCOCCUS SELECTIVE BROTH <i>Presumptive study of <u>Enterococcus</u></i>	13 X 100 mm, 2 ml	2973
ESCULIN AGAR SLANT <i>Utilization of esculin by <u>Enterococcus</u></i>	16 X 125 mm, 5 ml	2418
ESCULIN AGAR BUTT <i>Utilization of esculin by <u>Enterococcus</u></i>	16 X 125 mm, 5 ml,	2619
ESCULIN BROTH <i>Utilization of esculin by <u>Enterococcus</u></i>	16 X 125 mm, 5 ml	2156
F		
F.A.B. (FASTIDIOUS ANAEROBES) BROTH <i>Enriched medium for cultivation of fastidious anaerobes</i>	16 X 125 mm, 10 ml	2960
F.A.B. (FASTIDIOUS ANAEROBES) BROTH (mini-vials) <i>Enriched medium for cultivation of fastidious anaerobes</i>	17 X 55 mm, 1,5 ml	2943
F.A.B. (FASTIDIOUS ANAEROBES) COOKED MEAT BROTH <i>Enriched medium for cultivation of anaerobes</i>	16 X 125 mm, 10 ml	2994
F.B. (FASTIDIOUS BROTH) BROTH <i>Enriched medium for cultivation of fastidious organisms in low concentration</i>	16 X 125 mm, 10 ml	2581
FERMENTATION GLUCOSE BROTH, with Durham tube <i>Dextrose fermentation studies for mycology purpose</i>	13 X 100 mm, 3 ml	2846
FRASER BROTH <i>Selective broth used for <u>Listeria</u> sp.</i>	16 X 125 mm, 10 ml	2591
G		
GLUCONATE BROTH <i>Differentiation of fluorescent <u>Pseudomonas</u> sp.</i>	13 X 100 mm, 5 ml	2650
G.N. (GRAM NEGATIVE) HAJNA BROTH <i>Selective isolation of Gram negative bacilli</i>	16 X 125 mm, 10 ml	2798

H

HANK'S STERILE SOLUTION <i>Tissue culture medium</i>	16 X 125 mm, 2,5 ml one bottle of 500 ml	2099 8440
HEART INFUSION WITH TREHALOSE <i>Determination of carbohydrate fermentation</i>	13 X 100 mm, 2 ml	2177
H.T.M. (HAEMOPHILUS TEST MEDIUM) BROTH <i>Culture medium used for sensitivity tests of <u>Haemophilus</u> sp.</i>	16 X 125 mm, 5 ml one bottle of 500 ml	2702 8949
HIPPURATE, SODIUM BROTH <i>Identification of <u>Streptococcus β haemolytic</u></i>	16 X 125 mm, 3 ml	2312
HIPPURATE, RAPID TEST <i>Differentiation of <u>Streptococcus agalactiae</u></i>	13 X 100 mm, 0.5 ml	2833

I

IMA (INHIBITORY MOLD AGAR) WITH CHLORAMPHENICOL AGAR <i>Selective isolation of yeasts and molds</i>	20 X 125 mm, 10 ml 25 ml/bottle, 20/box	2691 5040
IMA (INHIBITORY MOLD AGAR) WITH CIPROFLOXACIN AGAR <i>Selective isolation of yeasts and molds</i>	25 ml/bottle, 20/box	5041
INDOLE BROTH <i>Determination of indole production</i>	13 X 100 mm, 2 ml	2055
INDOLE-NITRITE MEDIUM <i>Determination of indole production and nitrate reduction (not recommended for <u>Enterobacteriaceae</u>)</i>	16 X 125 mm, 5 ml	2086
INOCULUM WATER WITH PLURONIC <i>Medium for bacteria dilution used with automated system</i>	20 X 145 mm, 25 ml	2356

K

K.C.N. BROTH <i>Differentiation of <u>Enterobacteriaceae</u></i>	16 X 125 mm, 5 ml	2816
K.C.N. CONTROL BROTH <i>Negative control for KCN utilization</i>	16 X 125 mm, 5 ml	2551
KLIGLER IRON AGAR <i>Differentiation of <u>Enterobacteriaceae</u></i>	16 X 125 mm, 5 ml 20 X 125 mm, 10 ml	2386 2601
KUPFERBERG TRICHOMONAS BROTH <i>Selective isolation of <u>Trichomonas vaginalis</u></i>	16 X 125 mm, 10 ml	2206

L

LACTOBACILLI MRS AGAR <i>Cultivatin of <u>Lactobacillus</u> sp.</i>	20 X 125 mm, 10 ml	2631
LACTOSE 10% AGAR <i>General purpose culture medium for coliforms</i>	13 X 100 mm, 3 ml 16 X 125 mm, 10 ml	2847 2975
LACTOSE BROTH <i>General purpose culture medium for coliforms</i>	16 X 125 mm, 10 ml one bottle of 350 ml	2505 6548
LACTOSE 10% BROTH <i>Detection of coliforms</i>	20 X 125 mm, 10 ml	2141
LAURYL SULFATE BROTH <i>Detection of coliforms</i>	20 X 125 mm, 10 ml	2844
LAURYL SULFATE WITH MUG BROTH <i>Detection of coliforms</i>	20 X 125 mm, 10 ml	2824
LETHEEN BROTH <i>Sampling of surfaces sanitized with quaternary ammonium compounds</i>	16 X 125 mm, 10 ml	2611
LETHEEN WITH SWAB, BROTH <i>Sampling of surfaces sanitized with quaternary ammonium compounds</i>	50 swabs, 10 ml 100 swabs, 10 ml	2758 2858
LEVINTHAL BROTH <i>Cultivation of <u>Haemophilus influenzae</u></i>	16 X 125 mm, 5 ml	2288
LISTERIA ENRICHED BROTH <i>Enriched broth for <u>Listeria</u> sp.</i>	20 X 125 mm, 10 ml	2320
LITMUS MILK <i>Determination of bacteria activity in milk</i>	16 X 125 mm, 5 ml	2899
LITTMAN OXGALL STREPTOMYCINE AGAR <i>Selective isolation of yeasts and pathogenic molds</i>	20 X 125 mm, 10 ml	2810
LOEFFLER SERUM MEDIUM <i>Isolation of <u>Corynebacterium</u> sp.</i>	16 X 125 mm, 5 ml	2084
LOWENSTEIN GRUFT MEDIUM <i>Selective isolation of <u>Mycobacterium</u> sp.</i>	20 X 125 mm, 10 ml	2161
LOWENSTEIN JENSEN MEDIUM <i>General purpose culture medium for <u>Mycobacterium</u> sp.</i>	20 X 125 mm, 10 ml	2509
LOWENSTEIN JENSEN MEDIUM, deep fill <i>Culture medium for <u>Mycobacterium</u> sp. catalase testing</i>	20 X 125 mm, 6,5 ml	2221
LOWENSTEIN JENSEN SELECTIVE MEDIUM <i>Selective isolation of <u>Mycobacterium</u> sp.</i>	20 X 125 mm, 10 ml	2170
LOWENSTEIN JENSEN 5% SODIUM CHLORIDE MEDIUM <i>Selective isolation of <u>Mycobacterium</u> sp.</i>	20 X 125 mm, 10 ml	2521

LOWENSTEIN JENSEN WITH IRON AMMONIUM CITRATE MEDIUM <i>Selective isolation of <u>Mycobacterium haemolyticum</u></i>	20 X 125 mm, 10 ml	2519
LYSINE DECARBOXYLASE MODIFIED BROTH <i>Differentiation of <u>Enterobacteriaceae</u></i>	13 X 100mm, 3 ml	2675
LYSINE IRON (L.I.A.) AGAR <i>Differentiation of <u>Enterobacteriaceae</u></i>	13 x 100 mm, 3 ml 16 X 125 mm, 5 ml	2097 2337
LYSINE INDOLE MOTILITY (L.I.M.) MEDIUM <i>Differentiation of <u>Enterobacteriaceae</u></i>	16 X 125 mm, 5 ml	2335
M		
MAC CONKEY AGAR <i>Identification of Gram negative bacilli</i>	16 X 125 mm, 5 ml	2486
MAC CONKEY BROTH <i>Identification of Gram negative bacilli</i>	16 X 125 mm, 10 ml	2321
MAC CONKEY SORBITOL AGAR <i>Differentiation of <u>Escherichia coli 0157H7</u></i>	16 X 125 mm, 5 ml	2291
MALONATE BROTH <i>Differentiation of <u>Enterobacteriaceae</u></i>	13 X 100 mm, 5 ml 16 X 125 mm, 5 ml	2428 2105
MANNITOL MOTILITY AGAR <i>Differentiation of <u>Enterobacteriaceae</u></i>	16 X 125 mm, 5 ml	2976
MANNITOL SALT BROTH <i>Determination of mannitol fermentation</i>	16 X 125 mm, 5 ml	2300
MIDDLEBROOK 7H9 BROTH <i>Cultivation of <u>Mycobacterium</u> sp.</i>	20 X 125 mm, 10 ml	2488
MIDDLEBROOK 7H10 AGAR <i>Isolation of <u>Mycobacterium</u> sp.</i>	20 X 125 mm, 10 ml	2049
MIDDLEBROOK 7H11 AGAR <i>Selective isolation of <u>Mycobacterium</u> sp.</i>	20 X 125 mm, 10 ml	2044
MIDDLEBROOK 7H11 MITCHISON MODIFIED AGAR <i>Selective isolation of <u>Mycobacterium</u> sp.</i>	20 X 125 mm, 10 ml	2851
M.I.O. (MOTILITY INDOLE ORNITHINE) MEDIUM <i>Differentiation of <u>Enterobacteriaceae</u></i>	16 X 125 mm, 5 ml	2360
MOTILITY AGAR with tube <i>Determination of motility</i>	16 X 125 mm, 5 ml 16 X 125 mm, 10 ml	2496 2696
MOTILITY T.T.C. (TETRAZOLIUM CHLORIDE) AGAR <i>Determination of motility</i>	13 X 100 mm, 3 ml 16 X 125 mm, 5 ml 16 X 125 mm, 7 ml	2439 2977 2649

M.R.S. LACTOBACILLI AGAR <i>Cultivation of <u>Lactobacillus</u> sp.</i>	20 X 125 mm, 10 ml	2631
MRSA SCREEN 2mg OXACILLIN 2% SODIUM CHLORIDE BROTH <i>Selective identification of MRSA (<u>Methicillin Resistant Staphylococcus aureus</u>)</i>	13 X 100 mm, 4 ml	2093
MRSA SCREEN 6mg OXACILLIN 2% SODIUM CHLORIDE BROTH <i>Selective identification of MRSA (<u>Methicillin Resistant Staphylococcus aureus</u>)</i>	13 X 100 mm, 4 ml	2453
M.R. - V.P. (METHYL RED - VOGES PROSKAUER) BROTH <i>Differentiation of <u>Enterobacteriaceae</u></i>	16 X 125 mm, 5 ml	2120
MUCIC ACID BROTH <i>Differentiation of some <u>Enterobacteriaceae</u></i>	16 X 125 mm, 5 ml	2151
MUELLER HINTON BROTH <i>Sensitivity test medium</i>	13 X 100 mm, 2 ml 16 X 125 mm, 5 ml 100 ml/bottle	2450 2663 6487
MUELLER HINTON CATIONS ADJUSTED BROTH <i>Sensitivity test medium</i>	16 X 125 mm, 5 ml 250 ml/bottle	2048 8948
MYCOBIOTIC AGAR <i>Selective isolation of yeasts and molds</i>	16 X 125 mm, 5 ml 20 X 125 mm, 10 ml 25 ml/bottle	2546 2843 5011
MYCOLOGICAL AGAR <i>Cultivation of molds</i>	20 X 125 mm, 10 ml	2969
MYCOPLASMA (FREY'S MODIFIED) BROTH <i>Cultivation of <u>Mycoplasma</u> in birds</i>	12 X 75 mm, 2 ml	2571
MYCOPLASMA P.P.L.O. BROTH <i>Cultivation of <u>Mycoplasma</u> sp. and <u>Ureaplasma</u> sp.</i>	16 X 125 mm, 5 ml 20 L 500 ml/ bottle	2520 6520 8945
MYCOPLASMA UREAPLASMA BROTH <i>Cultivation of <u>Mycoplasma</u> sp. <u>Ureaplasma</u> sp.</i>	12 X 75 mm, 2 ml	2371
MYCOPLASMA UREAPLASMA TRANSPORT BROTH <i>Transport medium for <u>Mycoplasma</u> and <u>Ureaplasma</u> sp.</i>	12 X 75 mm, 2 ml 13 X 100 mm, 2 ml	2281 2989

N

NaCl SOLUTION 0,85% <i>Medium used for bacteriological dilution</i>	13 X 100 mm, 2 ml 13 X 100 mm, 3 ml 16 X 125 mm, 5 ml 16 X 125 mm, 10 ml 20 X 125 mm, 15 ml 150 ml/bottle 250 ml/bottle	2250 2241 2350 2731 2421 5034 8404
---	---	--

NITRATE BROTH <i>Nitrate reduction in nitrite</i>	16 X 125 mm, 5ml	2056
NITRATE BROTH with Durham tube <i>Nitrate reduction in nitrite and/or in nitrogen gas (N₂)</i>	16 X 125 mm, 5 ml 16 X 125 mm, 7 ml	2941 2916
NUTRIENT AGAR <i>General purpose culture medium</i>	16 X 125 mm, 5 ml 25 ml/bottle	2741 5087
NUTRIENT AGAR (mini-vials) <i>General purpose transport medium</i>	17 X 55 mm, 2 ml	2565
NUTRIENT BROTH <i>General purpose culture medium</i>	16 X 125 mm, 5 ml 16 X 125 mm, 10ml	2101 2801
NUTRIENT GELATIN MEDIUM <i>Gelatin liquefaction by Gram-negative bacilli</i>	16 X 125 mm, 5 ml	2525

O

OF HUGH-LEIFSON MEDIUM <i>Determination of carbohydrate fermentation or oxydation</i>	16 X 125 mm, 5 ml	
CONTROL		2057
1% DEXTROSE		2617
1% FRUCTOSE		2715
1% GALACTOSE		2772
1% INOSITOL		2344
1% LACTOSE		2213
1% MALTOSE		2150
1% MANNITOL		2923
1% RHAMNOSE		2020
1% SUCROSE		2508
1% XYLOSE		2870
OF HUGH-LEIFSON MEDIUM <i>Determination of carbohydrate fermentation or oxydation</i>	13 X 100 mm, 5 ml	
CONTROL		2992
1% DEXTROSE		2996
1% FRUCTOSE		2986
1% LACTOSE		2993
1% MALTOSE		2997
1% MANNITOL		2988
1% SUCROSE		2998
1% XYLOSE		2987
OF HUGH-LEIFSON MODIFIED MEDIUM (decreased agar) <i>Determination of carbohydrate fermentation or oxydation</i>	16 X 125 mm, 5 ml	
CONTROL		2884
1% DEXTROSE		2885
1% FRUCTOSE		2887
1% LACTOSE		2892
1% MALTOSE		2888

1% MANNITOL		2896
1% SUCROSE		2895
1% XYLOSE		2893
OF-STAPH MEDIUM	16 X 125 mm, 10 ml	2069
<i>Differentiation of staphylococci from micrococci</i>		
ONPG (ORTHO NITROPHENYL GALACTO PYRANOSIDE) BROTH	13 X 100 mm, 0.5 ml	2531
<i>Differentiation of <u>Enterobacteriaceae</u></i>		
ONPG PAM SULFATE MEDIUM	13 X 100 mm, 4 ml	2737
<i>Differentiation of <u>Enterobacteriaceae</u></i>		
ONPG PAM WITHOUT SULFATE MEDIUM	13 X 100 mm, 4 ml	2736
<i>Differentiation of <u>Enterobacteriaceae</u></i>		
 P		
PALCAM LISTERIA BROTH	20 X 125 mm, 10 ml	2821
<i>Selective isolation of <u>Listeria</u> sp.</i>		
PBS/CAA, reagent (mini-vials)	17 X 55 mm, 1 ml	2749
<i>Freezing stock culture medium</i>		
PENASSAY # 3 (ANTIBIOTIC # 3) MEDIUM	16 X 125 mm, 10 ml	2712
<i>Sensitivity test medium for some antibiotics</i>		
PEPTONE DEXTROSE YEAST BROTH	16 X 125 mm, 5 ml	2261
<i>General purpose culture medium</i>		
PEPTONE WATER BROTH	16 X 125 mm, 5 ml	2726
<i>Minimal culture medium used for carbohydrates fermentation</i>		
	16 X 125 mm, 9 ml	2920
	20 X 125 mm, 20 ml	2286
PEPTONE WATER 9.9 ml	16 X 125 mm, 9,9 ml	2380
<i>Minimal culture medium used for carbohydrates fermentation</i>		
PEPTONE WATER 0.1%	99 ml/bottle	8461
<i>Minimal culture medium used for carbohydrates fermentation</i>		
PEPTONE WATER, BUFFERED	16 X 125 mm, 5 ml	2482
<i>Minimal culture medium for <u>Salmonella</u> sp. isolation</i>		
PHENOL RED BROTH with Durham tube	16 X 125 mm, 8 ml	
<i>Determination of carbohydrates fermentation</i>		
CONTROL		2030
1% ADONITOL		2818
1% ARABINOSE		2383
1% CELLOBIOSE		2242
1% DEXTROSE		2359
1% DULCITOL		2169
1% ESCULIN		2967
1% INOSITOL		2053
1% LACTOSE		2298

1% MALTOSE		2671
1% MANNITOL		2462
1% MANNOSE		2295
1% MELIBIOSE		2684
1% RAFFINOSE		2485
1% RHAMNOSE		2278
1% SALICIN		2498
1% SORBITOL		2304
1% SUCROSE		2040
1% TREHALOSE		2184
1% XYLOSE		2465
PHENYLALANINE AGAR	13 X 100 mm, 3 ml	2742
<i>Differentiation of enteric bacilli by oxidative deamination</i>	16 X 125 mm, 5 ml	2638
PHOSPHATE BUFFER 0,067M pH 6,8 BROTH	16 X 125 mm, 10 ml	2771
<i>Balanced salt dilution</i>		
PHOSPHATE BUFFERED, saline solution	16 X 125 mm, 10 ml	2174
<i>Balanced salt solution used for tissue culture procedures</i>	bottle, 500 ml	5063
PHYSIOLOGICAL WATER (SALINE) MEDIUM	13 X 100 mm, 2 ml	2250
<i>Medium used for bacterial dilution</i>	13 X 100 mm, 3 ml	2241
	16 X 125 mm, 5 ml	2350
	16 X 125 mm, 10 ml	2731
	20 X 125 mm, 15 ml	2421
	150 ml/bottle	5034
	250 ml/bottle	8404
PHYTONE YEAST EXTRACT AGAR	20 X 125 mm, 10 ml	2121
<i>Isolation of yeasts and molds</i>		
PLATE COUNT AGAR	20 X 125 mm, 15 ml	2461
<i>Sterile and pre-filled pour plate agar, ready to use</i>		
PLURONIC INOCULUM WATER	20 X 145 mm, 25 ml	2356
<i>Medium for bacteria dilution used with automated system</i>		
PORPHYRINE TEST SUBSTRATE	13 X 100 mm, 0,5 ml	2961
<i>Differentiation of <u>Haemophilus</u> sp.</i>		
POTATO DEXTROSE AGAR	20 X 125 mm, 10 ml	2782
<i>General purpose medium for yeasts and molds</i>		
PRESENCE ABSENCE BROTH	Bottle, 50 ml	5061
<i>Presumptive identification of coliforms in water</i>		
PSEUDOMONAS F AGAR	16 X 125 mm, 5 ml	2301
<i>Differentiation of <u>Pseudomonas aeruginosa</u></i>		
PSEUDOMONAS P AGAR	16 X 125 mm, 5 ml	2334
<i>Differentiation of <u>Pseudomonas aeruginosa</u> (pyocyanin pigment A)</i>		
PYRAZINAMIDE TEST MEDIUM	20 X 125 mm, 10 ml	2761
<i>Differentiation of <u>Mycobacterium</u> sp.</i>		

PYRUVATE BROTH 16 X 125 mm, 5 ml 2231
Differentiation of Streptococcus sp.

R

REGAN LOWE, STERILE AGAR 500 ml/ bottle 5072
Ready to use for preparing plated culture media for Bordetella pertussis isolation

ROSENOW CYSTEINE MEDIUM 16 X 125 mm, 10 ml 2081
General purpose culture medium for anaerobes

S

SABOURAUD DEXTROSE AGAR 16 X 125 mm, 5 ml 2487
Isolation of yeasts & molds 20 X 125 mm, 10 ml 2345
 25 ml/bottle 5060

SABOURAUD DEXTROSE CHLORAMPHENICOL AGAR 20 X 125 mm, 10 ml 2469
Selective isolation of yeasts and molds 25 ml/bottle 5010

SABOURAUD DEXTROSE CHLORAMPHENICOL CYCLOHEXIMIDE AGAR 20 X 125 mm, 10 ml 2401
Selective isolation of yeasts and molds

SABOURAUD DEXTROSE CYCLOHEXIMIDE AGAR 20 X 125 mm, 10 ml 2201
Selective isolation of yeasts and molds

SABOURAUD DEXTROSE CHLORAMPHENICOL CYCLOHEXIMIDE GENTAMYCIN AGAR 20 X 125 mm, 10 ml 2181
Selective isolation of yeasts and molds

SABOURAUD DEXTROSE, EMMONS MODIFICATION AGAR 20 X 125 mm, 10 ml 2041
Enhancement of molds sporulation 25 ml/bottle, 20/box 5030

SABOURAUD DEXTROSE GENTAMYCIN AGAR 20 X 125 mm, 10 ml 2688
Selective isolation of yeasts and molds

SABOURAUD DEXTROSE BROTH 16 X 125 mm, 5 ml 2924
Isolation of yeasts and molds 20 X 125 mm, 15 ml 2290

SABOURAUD DEXTROSE CHLORAMPHENICOL GENTAMYCIN BROTH 16 X 125 mm, 10 ml 2263
Selective isolation of yeasts and molds

SABOURAUD DEXTROSE CYCLOHEXIMIDE GENTAMYCIN BROTH 16 X 125 mm, 5 ml 2440
Selective isolation of yeasts and molds

SALINE (PHYSIOLOGICAL WATER) MEDIUM 13 X 100 mm, 2 ml 2250
Medium used for bacterial dilution 13 X 100 mm, 3 ml 2241
 16 X 125 mm, 5 ml 2350
 16 X 125 mm, 10 ml 2731
 20 X 125 mm, 15 ml 2421
 150 ml/bottle 5034
 250 ml/bottle 8404

SCHAEDLER BROTH <i>Culture medium used for sensitivity tests of anaerobes</i>	16 X 125 mm, 5 ml 150 ml/bottle	2615 8950
SELECTIVE STREP "B" BROTH <i>Selective isolation of <u>Group B Streptococcus</u></i>	13 X 100 mm, 3 ml 16 X 125 mm, 5 ml	2146 2646
SELENITE BROTH <i>Selective enrichment broth for <u>Salmonella</u> and <u>Shigella</u></i>	16 X 125 mm, 10 ml 20 ml/bottle	2815 5050
SELENITE CYSTINE BROTH <i>Selective enrichment broth for <u>Salmonella</u> from foods and water</i>	16 X 125 mm, 5 ml 16 X 125 mm, 10 ml	2435 2154
SELENITE DULCITOL BROTH <i>Selective enrichment broth for <u>Salmonella</u> sp.</i>	16 X 125 mm, 10 ml	2071
S.F. (STREPTOCOCCUS FAECALIS) BROTH <i>Differentiation of <u>Group D Streptococcus</u></i>	16 X 125 mm, 5 ml	2549
S.I.M. (SULFIDE INDOLE MOTILITY) MEDIUM <i>Differentiation of <u>Enterobacteriaceae</u></i>	13 X 100 mm, 3 ml 16 X 125 mm, 5 ml	2554 2106
SIMMONS CITRATE AGAR, <i>Differentiation of <u>Enterobacteriaceae</u></i>	13 X 100 mm, 3 ml 16 X 125 mm, 5 ml	2443 2746
SKIM MILK (CASEINE) MEDIUM <i>Differentiation of bacteria by coagulation of casein and proteolytic enzymes</i>	20 X 125 mm, 10 ml	2595
SKIM MILK MEDIUM (mini-vials) <i>Freezing stock culture medium</i>	17 X 55 ml, 1 ml	2739
SODIUM CHLORIDE 6.5% <i>Selective isolation of <u>Group D Enterococcus</u></i>	13 X 100 mm, 2 ml	2877
SODIUM CHLORIDE 10%, STERILE SOLUTION <i>Utilization in culture media</i>	16 X 125 mm, 5 ml	2414
SODIUM HIPPURATE BROTH <i>Identification test for <u>Group B haemolytic Streptococcus</u></i>	16 X 125 mm, 3 ml	2312
STANDARD MC FARLAND <i>References solution to standardized inoculum</i>	16 X 125 mm, 5 ml	
0,5		2901
1,0		2586
0,5 - 1,0		2951
2,0		2921
3,0		2911
5,0		2950
Kit: 0,5 - 1,0 - 2,0 - 3,0 - 5,0 (two tubes of each)		2900
Kit: 1,0 - 2,0 - 3,0 - 4,0 - 5,0 (two tubes of each)		2910

STARCH GEL (GELATIN) MEDIUM	13 X 100 mm, 2 ml	
<i>Determination of carbohydrate fermentation of <u>Neisseria</u> sp.. and other fastidious organisms</i>		
CONTROL		2158
1% ARABINOSE		2325
1% DEXTROSE		2906
1% FRUCTOSE		2499
1% GALACTOSE		2114
1% LACTOSE		2633
1% MALTOSE		2773
1% MANNITOL		2883
1% MANNOSE		2793
1% SALICIN		2200
1% SORBITOL		2023
1% SUCROSE		2582
1% XYLOSE		2229
KIT, 2 tubes of each: control, 1% dextrose, 1% lactose, 1% maltose, 1% sucrose		2999
STARCH 0,2% BROTH	13 X 100 mm, 2 ml	2840
<i>Differentiation of <u>Streptococcus bovis</u> from other <u>Group D enterococci</u></i>		
STOCK CULTURE MEDIUM	13 X 100 mm, 4 ml	2674
<i>Conservation of strains</i>		
 T		
TETRATHIONATE BROTH	16 X 125 mm, 10 ml	2481
<i>Selective enrichment for the isolation of <u>Salmonella</u> sp.</i>		
TETRATHIONATE 1% BRILLIANT GREEN BROTH	16 X 125 mm, 10 ml	2786
<i>Selective enrichment for the isolation of <u>Salmonella</u> sp.</i>		
TETRATHIONATE, HAJNA BROTH	16 X 125 mm, 10 ml	2370
<i>Selective enrichment for <u>Salmonella</u> from foods and dairy products</i>		
THERMONUCLEASE AGAR	25 ml/bottle	5071
<i>Sterile and pre-filled pour plate agar, ready to use</i>		
THIOGLYCOLLATE 135 C BROTH	16 X 125 mm, 10 ml	2536
<i>Sterility control culture medium</i>		
THIOGLYCOLLATE BREWER BROTH	16 X 125 mm, 10 ml	2971
<i>Sterility control culture medium</i>		
THIOGLYCOLLATE INDICATOR BROTH	16 X 125 mm, 5 ml	2880
<i>General purpose culture medium</i>		
	16 X 125 mm, 10 ml	2239
	20 X 125 mm, 10 ml	2787
	20 X 125 mm, 15 ml	2984
	20 X 125 mm, 20 ml	2445
THIOGLYCOLLATE INDICATOR BICARBONATE BROTH	16 X 125 mm, 10 ml	2377
<i>General purpose culture medium</i>		

THIOGLYCOLLATE INDICATOR COOKED MEAT BROTH <i>Isolation of anaerobes</i>	16 X 125 mm, 10 ml	2762
THIOGLYCOLLATE INDICATOR WITH HEMIN & VITAMIN K BROTH <i>General purpose culture medium for anaerobes</i>	16 X 125 mm, 10 ml 20 X 125 mm, 20 ml	2473 2978
THIOGLYCOLLATE NIH (NATIONAL INSTITUTE HEALTH) BROTH <i>Sterility control culture medium</i>	16 X 125 mm, 10 ml	2191
THIOGLYCOLLATE WITHOUT INDICATOR BROTH <i>General purpose culture medium</i>	16 X 125 mm, 5 ml 16 X 125 mm, 10 ml 20 X 125 mm, 15 ml	2627 2478 2311
THIOGLYCOLLATE HEMIN VITAMIN K WITHOUT INDICATOR BROTH <i>General purpose culture medium for anaerobes</i>	16 X 125 mm, 5 ml 16 X 125 mm, 10 ml 20 X 125 mm, 15 ml	2028 2420 2393
THIOGLYCOLLATE HEMIN VITAMIN K CACO3 WITHOUT INDICATOR BROTH <i>Isolation of anaerobes</i>	20 X 125 mm, 20 ml	2501
TODD HEWITT BROTH <i>Cultivation of <u>β-Haemolytic Streptococci</u> for serological studies</i>	13 X 100 mm, 0,5 ml 13 X 100 mm, 2 ml 16 X 125 mm, 5 ml	2451 2690 2103
TODD HEWITT GENTAMYCIN NALIDIXIC ACID 5% SHEEP BLOOD BROTH <i>Selective isolation of <u>Group β Streptococcus</u></i>	16 X 125 mm, 5 ml	2781
TRANSPORT AMIES CHARCOAL MEDIUM <i>Transport medium for fastidious organisms</i>	17 X 60 mm, 8 ml	2952
TRANSPORT AMIES WITHOUT CHARCOAL MEDIUM <i>Transport medium for clinical specimens</i>	17 X 60 mm, 8 ml	2119
TRANSPORT ANAEROBE PRE REDUCED MEDIUM <i>Transport medium for anaerobes</i>	16 X 100 mm, 5,5 ml	2017
TRANSPORT BORDETELLA PERTUSSIS MEDIUM <i>Transport medium for <u>Bordetella pertussis</u></i>	17 X 60 mm, 8 ml	2555
TRANSPORT CAMPYLOBACTER THIOGLYCOLLATE MEDIUM <i>Selective transport medium for <u>Campylobacter</u> sp.</i>	13 X 100 mm, 5 ml 16 X 125 mm, 10 ml	2381 2340
TRANSPORT CARY BLAIR MEDIUM <i>General purpose transport medium</i>	17 X 90 mm, 10 ml 16 X 125 mm, 14 ml	2985 2981
TRANSPORT CHLAMYDIA 2SP MEDIUM <i>Transport medium for <u>Chlamydia</u> sp.</i>	50 tubes, 13 X 82 mm, 2 ml, with 50 pkg of 3 swabs 16 X 125 mm, 1 ml 16 X 125 mm, 2 ml	2447KR 2550 2837
TRANSPORT MYCOPLASMA-UREAPLASMA BROTH <i>Transport medium for <u>Mycoplasma</u> and <u>Ureaplasma</u> sp.</i>	12 X 75 mm, 2 ml 13 X 100 mm, 2 ml	2281 2989
TRICHOPHYTON #1, 2, 3, 4, 5 AGAR KIT <i>Selective identification of <u>Trichophyton</u></i>	20 X 125 mm, 10 ml	2799

TRICHOPHYTON #1 AGAR <i>Selective identification of <u>Trichophyton</u></i>	20 X 125 mm, 10 ml	2512
TRICHOPHYTON #2 AGAR <i>Selective identification of <u>Trichophyton</u></i>	20 X 125 mm, 10 ml	2513
TRICHOPHYTON #3 AGAR <i>Selective identification of <u>Trichophyton</u></i>	20 X 125 mm, 10 ml	2514
TRICHOPHYTON #4 AGAR <i>Selective identification of <u>Trichophyton</u></i>	20 X 125 mm, 10 ml	2515
TRICHOPHYTON #5 AGAR <i>Selective identification of <u>Trichophyton</u></i>	20 X 125 mm, 10 ml	2516
TRICHOPHYTON #6 AGAR <i>Selective identification of <u>Trichophyton</u></i>	20 X 125 mm, 10 ml	2517
TRICHOPHYTON #7 AGAR <i>Selective identification of <u>Trichophyton</u></i>	20 X 125 mm, 10 ml	2518
TRYPTONE BROTH <i>Determination of indole production</i>	16 X 125 mm, 5 ml 20 X 125 mm, 20 ml	2775 2686
T.S.A. (TRYPTIC SOY AGAR) AGAR <i>Sterile and pre-filled pour plate agar</i>	20 X 125 mm, 18 ml	2145
T.S.A. (TRYPTIC SOY) AGAR <i>General purpose culture medium</i>	13 X 100 mm, 4 ml 16 X 125 mm, 5 ml 16 X 125 mm, 10 ml	2391 2859 2683
T.S.A. (TRYPTIC SOY AGAR) 5% SHEEP BLOOD <i>General purpose culture medium</i>	16 X 125 mm, 5 ml	2635
T.S.B. (TRYPTIC SOY BROTH) <i>General purpose culture medium</i>	13 X 100 mm, 0.5 ml 13 X 100 mm, 2 ml 16 X 125 mm, 4.5 ml 16 X 125 mm, 5 ml 16 X 125 mm, 10 ml 20 X 125 mm, 15 ml 20 X 125 mm, 20 ml	2750 2341 2233 2395 2569 2648 2828
T.S.B. (TRYPTIC SOY BROTH) U.S.P. <i>Sterility purpose</i>	30 X 60 mm, 10 ml one bottle of 80 ml one bottle of 500 ml one bag of 20 L	8947 8901 8905 6095
T.S.B. (TRYPTIC SOY BROTH) 6,5% NaCl <i>Differentiation of <u>Group D Streptococcus</u></i>	16 X 125 mm, 5 ml	2037
T.S.B. (TRYPTIC SOY BROTH) 7.5% NaCl <i>Differentiation of <u>Group D Streptococcus</u></i>	16 X 125 mm, 5 ml	2947
T.S.I. (TRIPLE SUGAR IRON) AGAR <i>Differentiation of <u>Enterobacteriaceae</u></i>	13 X 100 mm, 3 ml 16 X 125 mm, 5 ml	2354 2400

TTC (TETRAZOLIUM CHLORIDE) FOR ENTEROCOCCI BROTH <i>Differentiation of <u>Group D Streptococcus</u></i>	13 X 100 mm, 1 ml	2315
TYROSINE AGAR <i>Sterile and pre-filled pour plate agar, ready to use for differentiation of <u>Nocardia sp.</u></i>	20 X 125 mm, 20 ml	2175
U		
UREAPLASMA MYCOPLASMA BROTH, <i>Transport medium used for <u>Ureaplasma</u> and <u>Mycoplasma sp.</u></i>	12 X 75 mm, 2 ml 13 X 100 mm, 2 ml	2281 2989
U 9 BROTH <i>Isolation of <u>Ureaplasma urealyticum</u></i>	12 X 75 mm, 2 ml 13 X 100 mm PS, 2 ml	2361 2979
UREA CHRISTENSEN AGAR <i>Differentiation of <u>Enterobacteriaceae</u> by urea hydrolysis activity</i>	13 X 100 mm, 3 ml 16 X 125 mm, 5 ml	2454 2128
UREA CHRISTENSEN DEXTROSE AGAR <i>Differentiation of <u>Trichophyton sp.</u></i>	16 X 125 mm, 5 ml	2328
UREA RAPID TEST MEDIUM <i>Determination of <u>Helicobacter pylori</u></i>	17 X 60 mm, 2 ml	2171
UREA CONCENTRATED SOLUTION <i>Liquid medium used to prepare urea agar</i>	16 X 125 mm, 10 ml	2864
UREA DEXTROSE BROTH <i>Differentiation of <u>Tricophyton sp.</u></i>	13 X 100 mm, 2 ml	2471
UREA STUART BROTH <i>Differentiation of <u>Enterobacteriaceae</u> by urea hydrolysis activity</i>	13 X 100 mm, 3 ml	2811
UREA 40% STERILE SOLUTION <i>Liquid solution used to prepare medium</i>	16 X 125 mm, 5 ml	2990
UVM MODIFIED ENRICHMENT BROTH <i>Selective enrichment of <u>Listeria monocytogenes</u></i>	20 X 125 mm, 10 ml	2572
V		
VEILLONELLA SELECTIVE BROTH <i>Selective broth for cultivation of <u>Veillonella sp.</u></i>	16 X 125 mm, 10 ml	2051
VIOLET RED BILE AGAR <i>Selective isolation of coliforms from dairies and foods</i>	20 X 125 mm, 10 ml	2669
V.P. BROTH <i>Identification of <u>Enterobacteriaceae</u></i>	13 X 100 mm, 2 ml	2397

W

WATER STERILE DISTILLED <i>General purpose for dilutions</i>	16 X 125 mm, 5 ml 125 ml/bottle	2891 8462
WATER WITH 20% GLYCEROL <i>Freezing stock culture medium</i>	13 X 100 mm, 5 ml	2091
WILKINS, BROTH <i>Culture medium used for sensitivity tests of anaerobes</i>	16 X 125 mm, 5 ml	2641
WILKINS-CHALGREN AGAR <i>Sterile and pre-filled pour plated agar for anaerobes susceptibility disk diffusion</i>	20 X 125 mm, 18 ml	2131

X

XANTHINE AGAR <i>Sterile and pre-filled pour plate agar, ready to use for differentiation of <i>Nocardia</i> sp.</i>	20 X 125 mm, 20 ml	2176
--	--------------------	------

Y

YEAST NITROGEN 2% NOBLE AGAR <i>Bioassay of antifungal agents in agar dilution test methods</i>	20 X 145 mm, 18 ml	2059
---	--------------------	------